District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

**For drilling and production facilities**, submit to appropriate NMOCD District Office
**For downstream facilities**, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action. Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator BP America Production Company Telephone. (505)326-9200 e-mail address.
Address 200 Energy Ct, Farmington, NM 87401
Facility or well name NEAL Com # 7E API #: 30045 25893 U/L or Qtr/Qtr O Sec 14 T 31 N R 12 W
County San Juan Latitude Longitude NAD 1927 ☐ 1983 ☒
Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

| Pit | Below-grade tank |
|---|---|
| Type Drilling ☐ Production ☒ Disposal ☐<br>Workover ☐ Emergency ☐<br>Lined ☐ Unlined ☐<br>Liner type Synthetic ☐ Thickness ____mil Clay ☐<br>Pit Volume ____bbl | Volume: ____bbl Type of fluid.<br>Construction material:<br>Double-walled, with leak detection? Yes ☐ If not, explain why not<br>N/A |

| | | | |
|---|---|---|---|
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet<br>50 feet or more, but less than 100 feet<br>100 feet or more | (20 points)<br>(10 points)<br>( 0 points) | 0 |
| Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes<br>No | (20 points)<br>( 0 points) | 0 |
| Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses ) | Less than 200 feet<br>200 feet or more, but less than 1000 feet<br>1000 feet or more | (20 points)<br>(10 points)<br>( 0 points) | 0 |
| | **Ranking Score (Total Points)** | | 0 |

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility_____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface_____ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments

See Attached Documentation

RCVD JUN13'07
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. **I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.**

Date 11/01/2005
Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval
Printed Name/Title Deputy Oil & Gas Inspector, District #3 Signature Date AUG 10 2007

| CLIENT: BP | BLAGG ENGINEERING, INC.<br>P.O. BOX 87, BLOOMFIELD, NM 87413<br>(505) 632-1199 | LOCATION NO: B0967<br>C.O.C. NO: 9902 |
|---|---|---|

# FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No 1 of 1

5 DJA

LOCATION: NAME NEAL COM WELL # 2E TYPE: BLOW

QUAD/UNIT: O SEC: 14 TWP: 31N RNG: 11W PM: NM CNTY: SJ ST: NM

QTR/FOOTAGE: 850'FSL/1730'FEL SW/SE CONTRACTOR: HIGH DESERT - HEBER

DATE STARTED 5/15/02

DATE FINISHED

ENVIRONMENTAL SPECIALIST NV

EXCAVATION APPROX. NA FT x NA FT. x NA FT. DEEP CUBIC YARDAGE. 15

DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: AERATED/AERATED

LAND USE: RANGE - BLM LEASE: SF 078222 CA SCR 465 FORMATION: DK

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 87 FT. N37E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

OVM CALIB. READ. 53.5 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 1:05 am (pm) DATE: 5/14/02

## SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE: (SAND) / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)

SOIL COLOR: MED GRAY BETWEEN 6-7 FT. BELOW GRADE BEDROCK - DK. GRAY TO BLACK

COHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) / (FIRM) / DENSE / VERY DENSE

~~PLASTICITY (CLAYS)~~: NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

~~DENSITY (COHESIVE CLAYS & SILTS)~~: SOFT / FIRM / STIFF / VERY STIFF / HARD (RISK ASSESSED)

MOISTURE: DRY / (SLIGHTLY MOIST) / (MOIST) / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - 6'-7' BELOW GRADE & BEDROCK SURFACE

HC ODOR DETECTED: (YES) / NO EXPLANATION - DISCOLORED/STAINED SOIL & BEDROCK

SAMPLE TYPE: (GRAB) / COMPOSITE - # OF PTS. -

ADDITIONAL COMMENTS: TANK REMOVED PRIOR TO SAMPLING. BEDROCK - VERY HARD, STAINED w/ HC ODOR. SAMPLED SOIL ABOVE BEDROCK SURFACE. INSTRUCTED OPERATOR TO MIX DISCOLORED SOIL w/ APPARENT CLEAN WIND BLOWN SAND.

(BEDROCK BOTTOM)

FIELD 418.1 CALCULATIONS

| SAMP. TIME | SAMPLE I.D. | LAB No: | WEIGHT (g) | mL. FREON | DILUTION | READING | CALC. ppm |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |

SCALE 0 FT

## PIT PERIMETER




P.D = PIT DEPRESSION; B.G = BELOW GRADE
T.H = TEST HOLE, ~ = APPROX; B = BELOW

## OVM RESULTS

| SAMPLE ID | FIELD HEADSPACE PID (ppm) |
|---|---|
| 1 @ 7' | 335 |
| 2 @ | |
| 3 @ | |
| 4 @ | |
| 5 @ | |

LAB SAMPLES

| SAMPLE ID | ANALYSIS | TIME |
|---|---|---|
| (1) @ 7' | TPH (8015B) | 1410 |
| " | BTEX (8021B) | " |
| | TPH - FAILED | |
| | BTEX - PASSED | |

## PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES. CALLOUT: 5/15/02 - MORN. ONSITE: 5/15/02 - AFTER.

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified
## Nonhalogenated Volatile Organics
## Total Petroleum Hydrocarbons

| | | | |
|---|---|---|---|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 7' | Date Reported: | 05-19-02 |
| Laboratory Number: | 22741 | Date Sampled: | 05-15-02 |
| Chain of Custody No: | 9902 | Date Received: | 05-16-02 |
| Sample Matrix: | Soil | Date Extracted: | 05-17-02 |
| Preservative: | Cool | Date Analyzed: | 05-19-02 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|---|---|---|
| **Gasoline Range (C5 - C10)** | **5,650** | **0.2** |
| **Diesel Range (C10 - C28)** | **3,670** | **0.1** |
| **Total Petroleum Hydrocarbons** | **9,320** | **0.2** |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Neal Com #2E Blow Pit Grab Sample.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021
## AROMATIC VOLATILE ORGANICS

| | | | |
|---|---|---|---|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 7' | Date Reported: | 05-19-02 |
| Laboratory Number: | 22741 | Date Sampled: | 05-15-02 |
| Chain of Custody: | 9902 | Date Received: | 05-16-02 |
| Sample Matrix: | Soil | Date Analyzed: | 05-19-02 |
| Preservative: | Cool | Date Extracted: | 05-17-02 |
| Condition: | Cool & Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|---|---|---|
| **Benzene** | **31.7** | **1.8** |
| **Toluene** | **200** | **1.7** |
| **Ethylbenzene** | **140** | **1.5** |
| **p,m-Xylene** | **587** | **2.2** |
| **o-Xylene** | **512** | **1.0** |
| **Total BTEX** | **1,470** | |

ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|---|---|---|
| | **Fluorobenzene** | **95 %** |
| | **1,4-difluorobenzene** | **95 %** |
| | **Bromochlorobenzene** | **95 %** |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

**Comments:** **Neal Com #2E Blow Pit Grab Sample.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865