

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004


Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <b>XTO ENERGY INC.</b> Telephone: <b>(505)-324-1090</b> e-mail address: _____	
Address: <b>2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401</b>	
Facility or well name: <b>OHIO GOVT #2</b> API #: <b>30-045- 07411</b> U/L or Qtr/Qtr- <b>P</b> Sec <b>15</b> T <b>28N</b> R <b>11W</b>	
County: <b>SAN JUAN</b> Latitude <b>36.65747</b> Longitude <b>107.98556</b> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> <b>PROD. TANK</b> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> <b>STEEL TANK</b> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: <b>N/A</b> Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not _____ 
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) <b>10</b>
<b>Ranking Score (Total Points)</b> <b>30</b>	

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: **PIT LOCATED APPROXIMATELY 231 FT. S40E FROM WELL HEAD.**

**PIT EXCAVATION: WIDTH NA ft. , LENGTH NA ft. , DEPTH NA ft. .**

**PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)**

**Cubic yards: ☐ NA ☐**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: **06/02/06**

**Jeff Blagg – P.E. # 11607**

PrintedName/Title

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: **Deputy Oil & Gas Inspector,  
District #3**

Printed Name/Title

Signature 

Date: **SEP 10 2007**

CLIENT: <u>XTO</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>CT178</u> COCR NO: <u>HALL</u>
--------------------	---	---

**FIELD REPORT: PIT CLOSURE VERIFICATION**

LOCATION: NAME: <u>OHIO GOVT.</u> WELL #: <u>2</u> TYPE: <u>PROD. TANK</u> QUAD/UNIT: <u>P</u> SEC. <u>15</u> TWP: <u>28N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>890'S/990'E</u> <u>SE/SE</u> CONTRACTOR: <u>HDI (FERNANDO)</u>	PAGE No: <u>1</u> of <u>1</u> DATE STARTED: <u>5/19/06</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
--	--

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 020498</u> FORMATION: <u>GP</u>

**FIELD NOTES & REMARKS:**

PIT LOCATED APPROXIMATELY 231 FT. 540E FROM WELLHEAD.

DEPTH TO GROUNDWATER <50' NEAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: <1,000'

NMOC D RANKING SCORE 30 NMOC D TPH CLOSURE STD. 100 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 54.5 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 10:40 AM/PM DATE: 5/19/06

SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_  
 SOIL COLOR: PALE YELL. BROWN  
 COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE  
 CONSISTENCY (NON COHESIVE SOILS): (LOOSE) (FIRM) DENSE / VERY DENSE  
 PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC  
 DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD  
 MOISTURE: DRY / (SLIGHTLY MOIST) (MOIST) WET / SATURATED / SUPER SATURATED  
 DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION - \_\_\_\_\_  
 HC ODOR DETECTED: YES (NO) EXPLANATION - \_\_\_\_\_  
 SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS. 1  
 ADDITIONAL COMMENTS: STEEL TANK REMOVED PRIOR TO ARRIVAL.

**CLOSED**

FIELD 418.1 CALCULATIONS							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

**SCALE**

0  FT

**PIT PERIMETER** 4N

**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 10'	0.0
2 @	
3 @	
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
1 @ 10'	TPH (80/58)	1100
<b>PASSED</b>		

**PIT PROFILE**

NOT APPLICABLE

P.D. = PIT DEPRESSION, B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

**TRAVEL NOTES:**

CALLOUT: 5/18/06 - AFTER.      ONSITE: 5/18/06 - AFTER. 5/19/06-MORN (SCHED)

# Hall Environmental Analysis Laboratory

Date: 02-Jun-06

**CLIENT:** Blagg Engineering  
**Lab Order:** 0605245  
**Project:** Ohio Govt. #2  
**Lab ID:** 0605245-01

**Client Sample ID:** 1 @ 10' - Production Tank Pit  
**Collection Date:** 5/19/2006 11:00:00 AM  
**Date Received:** 5/22/2006  
**Matrix:** SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8015B: DIESEL RANGE ORGANICS *</b>						Analyst: <b>SCC</b>
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	5/26/2006 9:54:15 AM
Surr: DNOP	100	61.7-135		%REC	1	5/26/2006 9:54:15 AM
<b>EPA METHOD 8015B: GASOLINE RANGE</b>						Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/31/2006 9:18:32 PM
Surr: BFB	82.5	81.7-127		%REC	1	5/31/2006 9:18:32 PM

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit