

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004


Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: _____		
Address: 2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401		
Facility or well name: McADAMS, C.A. D #1E API #: 30-045- 25637 U/L or Qtr/Qtr C Sec 20 T 27N R 10W		
County: SAN JUAN Latitude 36.56567 Longitude 107.92259 NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> SEPARATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: N Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 0	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0	
Ranking Score (Total Points) 0		

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 105 FT. N89E FROM WELL HEAD.
PIT EXCAVATION: WIDTH NA ft., LENGTH NA ft., DEPTH NA ft.
PIT REMEDIATION: CLOSE AS IS: <input checked="" type="checkbox"/>, LANDFARM: <input type="checkbox"/>, COMPOST: <input type="checkbox"/>, STOCKPILE: <input type="checkbox"/>, OTHER <input type="checkbox"/> (explain)
Cubic yards: <input type="text" value="NA"/>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: **08/01/06**

Date: _____

Jeff Blagg – P.E. # 11607

Printed Name/Title

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

**Deputy Oil & Gas Inspector,
District #3**

Printed Name/Title

Signature

Date:

SEP 10 2007

30-045-25637

CLIENT:

XTO

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: CT185

COCR NO:

14665

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: C.A. McADAMS D WELL#: 1E TYPE: SEP

QUAD/UNIT: C SEC: 20 TWP: 27N RNG: 10W PM: NM CNTY: SJ ST: NM

QTR/FOOTAGE: 860 FUL x 1550 FUL NE 1/4 CONTRACTOR: KELCO (Melvin)

DATE STARTED 7-28-06

DATE FINISHED: 7-28-06

ENVIRONMENTAL
SPECIALIST:

JCS

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: SF-077941A FORMATION: GAL

FIELD NOTES & REMARKS:

PIT LOCATED APPROXIMATELY 105 FT. N89E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 52.4 ppm

OVM CALIB. GAS = 100 ppm

RF = 0.52

TIME: 0610 am/pm DATE: 7/28

SOIL TYPE: SAND (SILTY SAND / SILT / SILTY CLAY) / CLAY / GRAVEL / OTHER

SOIL COLOR: Light Blue

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE / COHESIVE) / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - Gray Streaking

HC ODOR DETECTED: (YES) NO EXPLANATION - Moderate

SAMPLE TYPE GRAB (COMPOSITE) # OF PTS. 5

ADDITIONAL COMMENTS:


12' x 12' x 4' Deep Unlined Earthen Pit.
 USE Backhoe to dig into pit & sample.

CLOSED


SCALE

0 FT

N

PIT PERIMETER**FIELD 418.1 CALCULATIONS**

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PROFILE**OVM
READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-Feet	121

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5-Fe	T/B/CL	1320
	(MISSED)	

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT:

ONSITE:

7/28/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	5-Pt @ 8'	Date Reported:	08-01-06
Laboratory Number:	37997	Date Sampled:	07-28-06
Chain of Custody No:	14665	Date Received:	07-28-06
Sample Matrix:	Soil	Date Extracted:	07-31-06
Preservative:	Cool	Date Analyzed:	08-01-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	9.7	0.2
Diesel Range (C10 - C28)	216	0.1
Total Petroleum Hydrocarbons	226	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **C. A. McAddams D #1E Blow Pit**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	5-Pt @ 8'	Date Reported:	08-01-06
Laboratory Number:	37997	Date Sampled:	07-28-06
Chain of Custody:	14665	Date Received:	07-28-06
Sample Matrix:	Soil	Date Analyzed:	08-01-06
Preservative:	Cool	Date Extracted:	07-31-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	34.4	1.8
Toluene	153	1.7
Ethylbenzene	590	1.5
p,m-Xylene	1,190	2.2
o-Xylene	155	1.0
Total BTEX	2,120	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: C. A. McAddams D #1E Sep Pit


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	5-Pt @ 8'	Date Reported:	08-01-06
Lab ID#:	37997	Date Sampled:	07-28-06
Sample Matrix:	Soil	Date Received:	07-28-06
Preservative:	Cool	Date Analyzed:	07-31-06
Condition:	Cool and Intact	Chain of Custody:	14665


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

38.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: C. A. McAddams D #1E Sep Pit


Analyst


Review

CHAIN OF CUSTODY RECORD

14665

Client / Project Name BLAGG / XTO			Project Location C.A. McADAMS D# 1E		ANALYSIS / PARAMETERS								
Sampler: J.C. Blagg			Client No. 94034-010		No. of Containers	TPH	BTEX	CL-				Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
C @ 8'	7/28/06	0900	37996	SOIL	1	X	X	X				Blow Pit	
S-P @ 8'	"	1320	37997	"	1	X	X	X				SEP Pit	
Relinquished by: (Signature) J.C. Blagg			Date 7/28/06	Time 1501	Received by: (Signature) [Signature]			Date 7/28/06	Time 1501				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	i		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	08-01-06 QA/QC	Date Reported:	08-01-06
Laboratory Number:	37996	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-01-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	07-11-05	9.9859E+002	9.9959E+002	0.10%	0 - 15%
Diesel Range C10 - C28	07-11-05	9.9904E+002	1.0010E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	22.9	22.7	0.9%	0 - 30%
Diesel Range C10 - C28	74.3	73.9	0.5%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	22.9	250	272	99.8%	75 - 125%
Diesel Range C10 - C28	74.3	250	324	99.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 37996 - 38003, 38015


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	08-01-BTEX QA/QC	Date Reported:	08-01-06
Laboratory Number:	37996	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-01-06
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept. Range 0 - 15%			
Benzene	2.3188E+007	2.3234E+007	0.2%	ND	0.2
Toluene	1.0013E+008	1.0033E+008	0.2%	ND	0.2
Ethylbenzene	4.4405E+007	4.4494E+007	0.2%	ND	0.2
p,m-Xylene	1.7256E+008	1.7290E+008	0.2%	ND	0.2
o-Xylene	1.0009E+008	1.0029E+008	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	1.8
Toluene	401	400	0.2%	0 - 30%	1.7
Ethylbenzene	2,560	2,550	0.4%	0 - 30%	1.5
p,m-Xylene	1,290	1,280	0.8%	0 - 30%	2.2
o-Xylene	195	194	0.4%	0 - 30%	1.0

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	50.0	100.0%	39 - 150
Toluene	401	50.0	450	99.8%	46 - 148
Ethylbenzene	2,560	50.0	2,600	99.6%	32 - 160
p,m-Xylene	1,290	100	1,390	100.0%	46 - 148
o-Xylene	195	50.0	244	99.7%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 37996 - 38003, 38015


Analyst


Review