

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Dugan Production Corp</u> Telephone: <u>(505)325-1821</u> e-mail address: _____		
Address: <u>P.O. Box 420, Farmington, New Mexico 87401</u>		
Facility or well name: <u>Anabel A No. 1</u> API #: <u>30-045-26528</u> U/L or Qtr/Qtr <u>M</u> Sec <u>28</u> T <u>25N</u> R <u>8W</u>		
County: <u>San Juan</u> Latitude <u>36.36619</u> Longitude <u>107.67998</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/> Surface Owner Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
RCVD SEP 19 '07		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>53 ±</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 10
	1000 feet or more	(0 points)
Ranking Score (Total Points)		10

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
10' x 10' x 3'± deep unlined separator pit, center located at approximately 66 Feet Due West of wellhead
Use backhoe to dig into pit and sample. Submit 5-point composite sidewall/base sample for lab testing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: September 17, 2007

Printed Name/Title Jeffrey C Blagg, agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval.

**Deputy Oil & Gas Inspector,
District #3**

Printed Name/Title _____

Signature [Signature]

Date: SEP 21 2007

CLIENT: <u>DUGAN</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO _____ COCR NO: <u>2017</u>																																															
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No <u>1</u> of <u>1</u>																																															
LOCATION: NAME: <u>ANABEL A</u> WELL #: <u>1</u> TYPE: <u>SEP</u> QUAD/UNIT <u>M</u> SEC: <u>28</u> TWP: <u>25N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>540 FSL x 530 FEL</u> CONTRACTOR: <u>SIERRA</u>		DATE STARTED <u>7-19-07</u> DATE FINISHED <u>7-19-07</u> ENVIRONMENTAL SPECIALIST <u>JCB</u>																																															
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE. <u>0</u>																																																	
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																	
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 42422</u> FORMATION: <u>GAL/DK</u>																																																	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>66</u> FT. <u>WEST</u> FROM WELLHEAD																																																	
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER <u>>200</u>																																																	
NMOCD RANKING SCORE. <u>10</u> NMOCD TPH CLOSURE STD: <u>1000</u> PPM																																																	
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB READ. = <u>54.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0900</u> am/pm DATE <u>7-19</u>																																															
SOIL TYPE <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL <u>OTHER</u> <u>SANDSTONE 0-6'</u> SOIL COLOR _____ COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> NO EXPLANATION - <u>LITE GRAY STAINING TO 6'</u> HC ODOR DETECTED: <u>YES</u> NO EXPLANATION - <u>MINOR</u> SAMPLE TYPE <u>GRAB</u> / COMPOSITE # OF PTS. <u>5</u> ADDITIONAL COMMENTS: <u>10' x 10' x 3' DRAINAGE AT</u> <u>USE SANDSTONE TO SAND</u>																																																	
FIELD 418.1 CALCULATIONS																																																	
SCALE 0 1 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																										
PIT PERIMETER	PIT PROFILE																																																
<p>X = SAMPLE POINT</p> <p>P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>5-Point</td><td>3.2</td></tr> <tr><td>0.6'</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>5-P6</td><td>T/15</td><td>1000</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> 		OVM READING		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		5-Point	3.2	0.6'										LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	5-P6	T/15	1000												
OVM READING																																																	
SAMPLE ID	FIELD HEADSPACE (ppm)																																																
1 @																																																	
2 @																																																	
3 @																																																	
4 @																																																	
5 @																																																	
5-Point	3.2																																																
0.6'																																																	
LAB SAMPLES																																																	
SAMPLE ID	ANALYSIS	TIME																																															
5-P6	T/15	1000																																															
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>7-19-07</u>																																																	

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / Dugan
Sample ID: Anabel A #1
Laboratory Number: 42512
Chain of Custody No: 2017
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact


Project #: 94034-010
Date Reported: 07-26-07
Date Sampled: 07-19-07
Date Received: 07-20-07
Date Extracted: 07-24-07
Date Analyzed: 07-26-07
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pit Sampling Sep - 5 Point @ 6'


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Blagg / Dugan
Sample ID: Anabel A #1
Laboratory Number: 42512
Chain of Custody: 2017
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact

Project #: 94034-010
Date Reported: 07-26-07
Date Sampled: 07-19-07
Date Received: 07-20-07
Date Analyzed: 07-26-07
Date Extracted: 07-24-07
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pit Sampling Sep - 5 Point @ 6'


Analyst


Review