Submit 3 Copies To Appropriate District	State of New Mexico			Form C-103
District I	Energy, Minerals and Natural Resources		WELL API NO.	Revised June 10, 2003
1625 N. French Dr., Hobbs, NM 88240 District II		30-045-31695		
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION		5. Indicate Type of Le	ase	
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410		STATE 🛛	FEE	
District IV 1220 S. St. Francis Dr., Santa Fe, NM		6. State Oil & Gas Let V-1509	ase No.	
SUNDRY NOTICE	7. Lease Name or Uni	t Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			Mary Lou	
PROPOSALS.)			8. Well Number	
1. Type of Well: Oil Well				
			90\$	
2. Name of Operator Dugan Production Corp.			9. OGRID Number 006515	
3. Address of Operator			10. Pool name or Wildcat	
P. O. Box 420, Farmington, NM 87499-0420			Basin Fruitland Coal	
4. Well Location				
Unit Letter J:	1955 feet from the Sout	h line and 1	850 feet from the	East line
				
Section 32 Township 24N Range 10W NMPM San Juan County 11. Elevation (Show whether DR, RKB, RT, GR, etc.)				
6603' GL				
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INT			SEQUENT REPO	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	K [] AL1	TERING CASING 🗌
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI		JG AND ANDONMENT
	MULTIPLE COMPLETION	CASING TEST AN		WOOTHIELTT
OTHER:		OTHER: Complet	tion	×
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date				
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
Pressure test casing to 4000#, held. Run GR-CCL-CNL from PBTD (1139') to surface. Perforate Fruitland Coal from				
1006'-1034', 28' w/4 spf (total 100 holes). Acidize w/500 gallons 10% formic acid. Frac w/80,000# 20/40 Brady sand,				
20,000# 20/40 resin coated sand, 44,300 gallons AmBor Max 10-20 gel.				
			E. O	
				72000 3
				- W
			(3	3. J
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
				197 (P) (S) (S)
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE John Roe for TITLE Vice-President DATE 10/7/03				
Type or print name				
(This space for State use)				
APPROVED BY APPROXICAL A				
APPPROVED BY National TITLE DATE Conditions of approval, if any:				

 $\sqrt{}$