

2-30-045-08383
3-30-045-08350
10-30-045-21451

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit NE Sec. 17 Twp 29 Rng 10
Name of Well/Wells or Pipeline Serviced FEUILLE A #1, WOOD #3,
SAN JACINTO #10 cps 750w
Elevation 5701' Completion Date 11/29/73 Total Depth 300' Land Type* N/A
Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 120'

Depths gas encountered: N/A
Type & amount of coke breeze used: 4700 lbs.
Depths anodes placed: 270', 260', 250', 240', 230', 220', 210', 200', 190', 180'
Depths vent pipes placed: N/A
Vent pipe perforations: 165'
Remarks: qb #3

RECEIVED
MAY 31 1991

OIL CON.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

2 - 30-045-08383
3 - 30-045-08350
10 - 30-045-21451

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 29 Rng 10

Name of Well/Wells or Pipeline Serviced FEUILLE A #2, WOOD #3,

SAN JACINTO #10 cps 750w

Elevation 5701' Completion Date 1/19/67 Total Depth 300' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 120'

RECEIVED
MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV
DIST. 3

Type & amount of coke breeze used: 2392 lbs.

Depths anodes placed: 286', 280', 274', 268', 262', 256', 250', 244', 238', 232'

Depths vent pipes placed: 286' OF 3/4" HOSE

Vent pipe perforations: 280'

Remarks: gb #2 DRILLED FIRST HOLE 330'. HIT GAS, ABANDONED.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

2-30-045-08383
3-30-045-08350
10-30-045-21451
DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit NE Sec. 17 Twp 29 Rng 10

Name of Well/Wells or Pipeline Serviced FEUILLE A #2, WOOD #3,
SAN JACINTO #10 cps 750w

Elevation 5701' Completion Date 6/23/65 Total Depth 130' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 120', 110', 100', 90', 80', 70'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.