63 - 30-045-06058 223 - 30-045-20834

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL L	ocation: Unit NW Sec. 4 Twp 26 Rng 10
Name of Well/Wells or Pipeline Service	d HUERFANO UNIT #63, #223
	cps 949w
Elevation 6179'Completion Date 9/28/87	Total Depth 340' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts &	types used <u>N/A</u>
If Cement or Bentonite Plugs have been	placed, show depths & amounts used
Depths & thickness of water zones with	description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	160' REGERMES
Depths gas encountered: N/A	MAY 3 1 1991
Type & amount of coke breeze used:	OIL CON. DI
Depths anodes placed: 295', 275', 265',24	\ DIST. 3 45', 235', 215', 205', 195', 185', 175'
Depths vent pipes placed: 325' OF 1" F	PVC VENT PIPE
Vent pipe perforations: BOTTOM @00	1
Remarks: gb #2	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

63-30-045-06058 223-30-045-20834

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 4 Twp 26 Rng 10
Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #63, #223
cps 949w
Elevation 6179'Completion Date 8/21/75 Total Depth 475' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 340' MAY 31 1991
Depths gas encountered: N/A OIL CON 199
Type & amount of coke breeze used: 4300 lbs. DIST. 3
Depths anodes placed: 440', 430', 420', 400', 390', 380', 370', 360', 350', 340'
Depths vent pipes placed: N/A
Vent pipe perforations: 250'
Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

203-30-045-20619 252-30-045-21402

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit_SE_Sec 1 Twp_26 Rng_10
Name of Well/Wells or Pipeline Servi	ced HUERFANO UNIT #203, #252
	cps 944w
Elevation 6638'Completion Date 8/31/84	Total Depth 460' Land Type* N/A
Casing, Sizes, Types & Depths 30'	OF 8" PVC CASING
If Casing is cemented, show amounts	& types usedN/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
N/A	
Depths & thickness of water zones wi	th description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc.	165'-175' & 195'-215'
Depths gas encountered: N/A	
Type & amount of coke breeze used:	N/A
Depths anodes placed: 430', 405', 395'	, 380', 365', 350', 335', 320', 295', 275'
Depths vent pipes placed: 300' OF 1	" PVC VENT PIPE
Vent pipe perforations: 300'	DECENNER
Remarks: gb #2	M www.
	MA131 1991
	OIL CON. DIV

If any of the above data is unavailable, please indicate so listings of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

303-30-045-20619 252-30-045-21402

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: U	Jnit SE Sec. 1 Twp 26 Rng 10
Name of Well/Wells or Pipeline Serviced HUERFAI	NO UNIT #203, #252
	cps 944w
Elevation 6638 Completion Date 8/6/75 Total Dept	ch 400' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & types used	N/A
If Cement or Bentonite Plugs have been placed, s	show depths & amounts used
Depths & thickness of water zones with descripti Fresh, Clear, Salty, Sulphur, Etc. 240/	on of water when possible:
Depths gas encountered: N/A	MAY 3 1 1991
Type & amount of coke breeze used: 3600 1b	s. OIL CON. DIV
Depths anodes placed: 360', 350', 340', 330', 320',	DIST. 3 310', 300', 290', 280', 270'
Depths vent pipes placed: N/A	
Vent pipe perforations: 230'	
Remarks: gb #1 RETIRED.	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.