<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division

Pit or Below-Grade Tank Registration or Closure

1220 South St. Francis Dr. Santa Fe, NM 87505

	k covered by a "general plan"? Yes ⊠ No r below-grade tank ☐ Closure of a pit or below-gra			
Address: <u>322 County Road 3100, Aztec, NM 87410</u> Facility or well name: <u>Rincon #90</u> API #: <u>30-039-06</u>	658 U/L or Qtr/Qtr <u>M</u> Se	NAD 1007 M 1003 M		
Pit Type: Drilling ☐ Production ☒ Disposal ☐ Workover ☐ Emergency ☐ Lined ☒ Unlined ☐ Liner type: Synthetic ☐ Thickness 2 Layers of 6mil plastic with thin fiberglass layer between Clay ☐ Pit Volume 6 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	ot, explain why not. RECEIVED OIL CONS. DIV. DIST. 3 (20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 10		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _ date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth belowable (5) Attach soil sample results and a diagram of sample locations and excavated Additional Comments:	(3) Attach a general description of remedial action with ground surfaceft. and attach samp	on taken including remediation start date and end		
Soil passed TPH standard of 1000 ppm using USEPA Method 418.1 and the 100ppm OVM standard inside the pit and 3 feet below lowest layer of liner.				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline. Date: D-lo-lo-lo-lo-lo-lo-lo-lo-lo-lo-lo-lo-lo-	es X, a general permit \(\), or an (attached) alternates Signature \(\) not relieve the operator of liability should the content.	ative OCD-approved plan .		
Approval Date: OCT 2 9 2007				

CLIENT:	ENV	IROTECH	I INC.		LOC]:
92770-170-049	5796	U.S HIGHWAY (NGTON, NEW MEX IONE (505) 632-	64-3014 ICO 87401			C.O.C. N]
FIELD REPOR	T: CLOSU	RE VI	ERIFIC	ATION	PAGE	No:	of
LOCATION: NAME RINCO			-		- DATE		F0108180
QTR/FOOTAGE: 1051 FS					ENVIRO SPECIA	NMENTAL LIST <u>EN</u>	H/RUK
EXCAVATION APPROX	FT. x F	T. x	FT. DEI	P. CUBI	C YAR	DAGE: _	
DISPOSAL FACILITY:			<i>¥</i>				
LAND USE:	LEAS	E: <u>E-291</u>	-35	F0	ORMATI	ON:	
FIELD NOTES & REMAR	NEAREST WATER S	DURCE: >100	O NE	AREST SURFA	CE WATE	R: ~ 22	<u>s</u>
NMOCD RANKING SCORE: (0		RE STD: 100	PPM	-		CK ONI ABANDON	
SOIL AND EXCAVATION		_		1			INSTALLED
*	6x11x2	,					
	TIME SAMPLE I.D		D 418.1 CAL WEIGHT (g)	CULATIONS ml. FREON (DILUTION	READING	CALC ppm
SCALE	ZDO 51D					195	
	TH PIT	1 2	<u> </u>	20	4	46	184
0 FT	3' BELOW!	OVM	<u> </u>	20	4	04	ما
PIT PERIME		RESULTS		PIT	PR	OFILE	
SAMPLE PELD HEADSPACE PID (ppm) 1 2 0.4 2 2 1.5 3 4 5 LAB SAMPLES SAMPLE ANALYSIS TIME DEPARTMENT NOTES							
TRAVEL NOTES. CALLOUT:	36.51049 -	NO	SITE:				



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Chevron Production

Project #:

92270-170-049

Sample No.:

1

Date Reported:

9/19/2007

Sample ID:

Composite, Inside Lined Pit

Sample Matrix:

Soil

Date Sampled: Date Analyzed: 8/30/2007 8/30/2007

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

184

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon #90

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Robin Kibler

Printed

Nicole Hayworth



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Chevron Production

92270-170-049

Sample No.:

2

92270-17

Sample ID:

Discrete, 3' below Pit

9/19/2007

Sample Matrix:

Soil

Date Sampled:

8/30/2007 8/30/2007

Preservative:

Cool

Date Analyzed:
Analysis Needed:

Date Reported:

Project #:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon #90

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review

Robin Kibler

Nicole Hayworth

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

\sim	D .	
(:a	Date:	
Vα	Daic.	

Printed

30-Aug-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	195	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Racke	9/17/07
Analyst	Date '
Robin Kibler	
Printed	
Mical Haywar	09/19/07
Review	Date
Nicole Hayworth	