

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*
(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137

Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a TYPE OF WELL: OIL WELL GAS WELL DRY Other _____
b TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF RESVR Other _____

5. LEASE DESIGNATION AND SERIAL NO.
NMSF-080179

6 IF INDIAN, ALLOTTEE OR TRIBE NAME
NMNM-7941SA-MV

7 UNIT AGREEMENT NAME
San Juan 29-5 Unit

8 FARM OR LEASE NAME, WELL NO.
61B

9. API WELL NO.
30-039-30254-0051

10. FIELD AND POOL, OR WILDCAT
Blanco Mesa Verde

11 SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
**Sec.9 T29N R5W, NMPM
RCVD OCT 26 '07
OIL CONS. DIV.
DIST. 3**

2 NAME OF OPERATOR
ConocoPhillips

3. ADDRESS AND TELEPHONE NO.
PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface **Unit G (SWNE) 2458' FNL, 1972' FEL**
At top prod. interval reported below **Same as above**
At total depth **Same as above**

RECEIVED
OCT 23 2007
Bureau of Land Management
Farmington Field Office

14 PERMIT NO. _____ DATE ISSUED _____

12. COUNTY OR PARISH **Rio Arriba** 13. STATE **New Mexico**

15. DATE SPUNDED **6/13/07** 16. DATE T.D. REACHED **7/11/07** 17. DATE COMPL. (Ready to prod.) **10/15/07** 18. ELEVATIONS (DF, RKB, RT, BR, ETC)*
GL 6792 KB 6808 19. ELEV CASINGHEAD

20. TOTAL DEPTH, MD & TVD **6320'** 21. PLUG, BACK T.D., MD & TVD **6270'** 22. IF MULTIPLE COMPL. HOW MANY* **1** 23. INTERVALS DRILLED BY **yes** ROTARY TOOLS CABLE TOOLS

24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*
Blanco Mesa Verde 5352' - 6047' 25. WAS DIRECTIONAL SURVEY MADE **No**

26. TYPE ELECTRIC AND OTHER LOGS RUN
Cement bond Log w/Gamma Ray Casing Collars 27 WAS WELL CORED **No**

28 CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8" H-40	32.3#	352'	12 1/4"	surface; 230sx (270 cf)	22 bbls
7" J-55	23# 20#	5294'	8 3/4"	TOC 350'; 586sx (1187 cf)	
4 1/2" J-55	28# 10.5#	6312'	6 1/4"	TOC 4450'; 125 sx (248 cf)	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	5951'	

31 PERFORATION RECORD (Interval, size and number)

**@1SPF
PLO/LMF 6047' - 5852' = 30 holes
UMF/CH 5788' - 5352' = 30 holes**

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

6047' - 5852'	Spearhead 10 bbls 15% HCL, pumped 10500 gal 60Q Slickwater/foam pad, pumped approx 100000# 20/40 Brady.
5788' - 5352'	Spearhead 10 bbls 15% HCL, pumped 10500 gal 60Q Slickwater/foam pad, pumped approx 100000# 20/40 Brady, & 26000 SCF N2.

33 PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump)	WELL STATUS (Producing or shut-in)					
10/15/07	SI W/O Facilities Flowing	SI					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL	GAS-MCF	WATER-BBL	GAS-OIL RATIO
10/15/07	1	1/2"	30 mcf				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL	GAS-MCF	WATER-BBL	OIL GRAVITY-API (CORR.)	
665#	646#	720 mcf					

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **To be sold** TEST WITNESSED BY _____

35. LIST OF ATTACHMENTS
This will be a stand alone Blanco Mesa Verde well.

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Mary J. Morra TITLE **Regulatory Technician** DATE **10/22/07**

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

ACCEPTED FOR RECORD
OCT 25 2007
FARMINGTON FIELD OFFICE
BY T. Salyers

2001/02

Ojo Alamo	2963'	3088'	White, cr-gr ss.
Kirtland	3088'	3336'	Gry sh interbedded w/tight, gry, fine-gr ss.
Fruitland	3336'	3747'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.
Pictured Cliffs	3747'	3912'	Bn-Gry, fine grn, tight ss.
Lewis	3912'	4479'	Shale w/siltstone stringers
Huerfanito Bentonite	4479'	4758'	White, waxy chalky bentonite
Chacra	4758'	5336'	Gry fn grn silty, glauconitic sd stone w/drk gry shale
Mesa Verde	5336'	5652'	Light gry, med-fine gr ss, carb sh & coal
Menefee	5652'	5930'	Med-dark gry, fine gr ss, carb sh & coal
Point Lookout	5930'		Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation

1200-

Ojo Alamo	2963'
Kirtland	3088'
Fruitland	3336'
Pic.Cliffs	3747'
Lewis	3912'
Huerfanito Bent.	4479'
Chacra	4758'
Mesa Verde	5336'
Menefee	5652'
Point Lookout	5930'

2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2097-2098-2099-2100

10' 2"