District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No
Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)

Type of action. Registration of a pit of	below grade tank Closure of a pit of below g	race tank 23	
Operator ConocoPhillips Telephone: 505-326-97	700 e-mail address: clugspl@conocc	ophillips.com	
Address: P.O. Box 4289 Farmington, NM 87499-4289 Formation: MV/DK			
Facility or well name San Juan 32-7 Unit #2A API #: 30-039-33548 U/L or Qtr/Qtr H Sec 32 T 32N R 07W .			
County: San Juan Latitude 36.94008'N Longitude 107.58369'W NAD: 1927 \(\times\) 1983 \(\times\) Surface Owner: Federal \(\times\) State \(\times\) Private \(\times\) Indian \(\times\)			
Pit	Below-grade tank	OU COIC DIII	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	OIL CONS. DIV.	
Workover ☐ Emergency ☐	Construction material:		
Lined 🛭 Unlined 🗍	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic \(\sum \) Thickness \(\sum 12 \) mil Clay \(\sum \)			
Pit Volume 4400 bbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points) 10	
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0	
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points) 10	
	Ranking Score (Total Points)	2 0	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results			
(5) Attach soil sample results and a diagram of sample locations and excavations 6. Closure Date - 08/06/07			
Additional Comments:			
The C103 for the pit was submitted with the cut & fill diagram that showed the distance and direction of the pit in reference to the wellhead			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines □, a general permit ☒, or an (attached) alternative OCD-approved plan □.			
Date:			
Printed Name/Title Patsy Clugston / Regulatory Specialist Signature Husey Clugston			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: Printed Name/Title OEFUTY OIL & GAS INSPECTOR, DIST. & Signature Self-Ull Date: NOV 2 8 2007			
1			