

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS IN
NORTHWEST NEW MEXICO

OPERATOR: Williams Production Company LOCATION: L 13 31 6 LEASE NUMBER: SF-078767

NAME OF WELL/WELLS OR PIPELINE SERVICED: ROSA UNIT #066 DK
DUALWELL N/A

30-039-21758

ELEVATION: 6346' GR COMPLETION DATE: 08/21/86 TOTAL DEPTH: 500 ft. LAND TYPE: FED

CASING: 7-5/8" 26.4# K-55 Set @ N/A ft. Casing is not cemented.

CEMENT PLUG--Top:N/A' Bottom: N/A' Used 0 sx. Class "B" (1.18 cu.ft./sk).

WATER DEPTH: 250' Water zone thickness not available. WATER DESCRIPTION: Fresh


DEPTH OF GAS: N/A '

COKE: 4725 lbs. of Metallurgical coke breeze used.

NUMBER & TYPE OF ANODES: 10-D TOP ANODE @ 375 ft. BOTTOM ANODE @ 490 ft.

VENT PIPE: 1" PVC Set @ 500 ft. Vent pipe perforated from 355 ft. to 500 ft.

REMARKS: _____



RECEIVED
DEC 11 1991
OIL CON. DIV.
DIST. 3

WELL TYPE GROUND BED DATA

DATA SHEET NO. _____

10F2

COMPANY NorthWest JOB No. 85-504 DATE: 10-25-85
 WELL: Kosa Unit #66 PIPELINE: _____
 LOCATION: SEC. 13 TWP. 31N RGE. 6W CO. Rio Arriba STATE New Mexico
 ELEV. _____ FT: ROTARY 500' FT: CABLE TOOL 0' FT: CASING 0'
 GROUND BED: DEPTH 500' FT. DIA. 6 3/4 IN. GAB 6400 LBS. ANODES 10 Type D

DEPTH, FT.	DRILLER'S LOG	EXPLORING ANODE TO STRUCTURE			NO COKE	WITH COKE	DEPTH TOP OF ANODES	
		E	I	R	R	R	NO.	FT.
200			.6					
5			.5					
10			.4					
15			.4					
20			.4					
25			.4					
30			1.0					
35			1.2					
40			.8					
45			.5					
50			.4					
55			.3					
60			.4					
65			.3					
70			1.0					
75			1.2					
80			1.3					
85			1.2					
90			1.2					
95			1.2					
100			1.3					
5			1.2					
10			1.2					
15			1.2					
20			1.2					
25			1.1					
30			1.1					
35			1.1					
40			1.2					
45			1.2					
50			1.1					
55			1.1					
60			1.2					
65			1.2					
70			1.2					
75			1.1		1.2		10	375
80			.9					
85			1.1					
90			1.0		1.4		9	390
95			1.0					
400			1.1		1.0		8	400
5			.7					
10			.7					

GROUND BED RESISTANCE: (1) VOLTS _____ ÷ AMPS _____ = _____ OHMS

(2) VIBROGROUND _____ OHMS

(2) VIBROGROUND _____ OHMS