

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

FOR APPROVED

OMB NO 1004-0137

Expires December 31, 1991

5. LEASE DESIGNATION AND SERIAL NO

SF - 080245

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO

Hamner 3G

9. API WELL NO.

30-045-34374-0001

10. FIELD AND POOL, OR WILDCAT

Blanco MV/Basin DK

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec.29 T29N R9W, NMPM

RCVD DEC 7 '07

OIL CONS. DIV.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL.

OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF RESVR ☐ Other ☐

2. NAME OF OPERATOR

ConocoPhillips

3. ADDRESS AND TELEPHONE NO

PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface Unit K (NESW) 2205' FSL & 1450' FWL

At top prod. interval reported below Same as above

At total depth Same as above

RECEIVED

DEC 06 2007

Bureau of Land Management
Farmington Field Office

14. PERMIT NO

DATE ISSUED

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

19. ELEV CASINGHEAD

GL 5736' KB 5752'

15. DATE SPUNNED

9/17/07

16. DATE T.D. REACHED

9/27/07

17. DATE COMPL. (Ready to prod.)

11/13/07

18. ELEVATIONS (DF, RKB, RT, BR, ETC.)*

GL 5736' KB 5752'

20. TOTAL DEPTH, MD & TVD

6652'

21. PLUG, BACK T.D., MD & TVD

6645'

22. IF MULTIPLE COMPL., HOW MANY*

2

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

yes

24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

Basin Dakota 6470' - 6604'

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Cement bond Log w/Gamma Ray Casing Collars

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB /FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8" H-40	32.3#	234'	12 1/4"	surface; 75 sx (122 cf)	3 bbls
7" J-55	20#	3957'	8 3/4"	surface; 645 sx (1309 cf)	82 bbls
4 1/2" J-55	10.5#	6651'	6 1/4"	TOC 3450'; 208sx (411 cf)	0

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	6497'	

30. TUBING RECORD

31. PERFORMANCE RECORD (Interval, size and number)

.34" @ 2 SPF
6534' - 6604' = 48
.34" @ 1 SPF
6470' - 6520' = 18 holes

Total holes = 66

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC

6470' - 6604' 10 bbls 15% HCL. Frac w/1042 bbls 60 Q slickfoam
36,207# 20/40 TLC Sand.

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)					WELL STATUS (Producing or shut-in)	
SI W/O Facilities		Flowing					SI	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL--BBL	GAS--MCF	WATER--BBL		GAS-OIL RATIO
11/13/07	1	1/2"		0	22 mcf	trace		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL--BBL	GAS--MCF		WATER--BBL		OIL GRAVITY-API (CORR.)
SI - 401#	SI 392#		0 bopd	522 mcf/d		1.22 bwpd		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

This is a MV/DK well being DHC per order #2684 AZ.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

[Signature]

TITLE

Regulatory Technician

DATE

12/03/07

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

ACCEPTED FOR RECORD

DEC 03 2007

FARMINGTON FIELD OFFICE
BY *[Signature]*

Ojo Alamo	957'	1132'	White, cr-gr ss.	Ojo Alamo	957'
Kirtland	1132'	1708'	Gry sh interbedded w/tight, gry, fine-gr ss.	Kirtland	1132'
Fruitland	1708'	2125'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Fruitland	1708'
Pictured Cliffs	2125'	2261'	Bn-Gry, fine grn, tight ss.	Pic.Cliffs	2125'
Lewis	2261'	2644'	Shale w/siltstone stringers	Lewis	2261'
Huerfanito Bentonite	2644'	3106'	White, waxy chalky bentonite	Huerfanito Bent.	2644'
Chacra	3106'	3616'	Gry fn grn silty, glauconitic sd stone w/drak gry shale	Chacra	3106'
Mesa Verde	3616'	3860'	Light gry, med-fine gr ss, carb sh & coal	Mesa Verde	3616'
Menefee	3860'	4406'	Med-dark gry, fine gr ss, carb sh & coal	Menefee	3860'
Point Lookout	4406'	4775'	Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation	Point Lookout	4406'
Mancos	4775'	5593'	Dark gry carb sh.	Mancos	4775'
Gallup	5593'	6342'	Lt gry to brn calc carb micac glauc silts & very fine gr gry ss w/irreg.interbed sh	Gallup	5593'
Greenhorn	6342'	6418'	Highly calc gry sh w/thin lmst.	Greenhorn	6342'
Graneros	6418'	6469'	Dk gry shale, fossil & carb w/pyrite incl.	Graneros	6418'
Dakota	6469'		Lt to dk gry foss carb sl calc sl silty ss w/pyrite incl thin sh bands clay & shale breaks	Dakota	6469'

Ojo Alamo	957'	1132'
Kirtland	1132'	1708'
Fruitland	1708'	2125'
Pictured Cliffs	2125'	2261'
Lewis	2261'	2644'
Huerfanito Bentonite	2644'	3106'
Chacra	3106'	3616'
Mesa Verde	3616'	3860'
Menefee	3860'	4406'
Point Lookout	4406'	4775'
Mancos	4775'	5593'
Gallup	5593'	6342'
Greenhorn	6342'	6418'
Graneros	6418'	6469'
Dakota	6469'	

White, cr-gr ss.
 Gry sh interbedded w/tight, gry, fine-gr ss.
 Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.
 Bn-Gry, fine grn, tight ss.
 Shale w/siltstone stringers
 White, waxy chalky bentonite
 Gry fn grn silty, glauconitic sd stone w/drak gry shale
 Light gry, med-fine gr ss, carb sh & coal
 Med-dark gry, fine gr ss, carb sh & coal
 Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation
 Dark gry carb sh.
 Lt gry to brn calc carb micac glauc silts & very fine gr gry ss w/irreg.interbed sh
 Highly calc gry sh w/thin lmst.
 Dk gry shale, fossil & carb w/pyrite incl.
 Lt to dk gry foss carb sl calc sl silty
 ss w/pyrite incl thin sh bands clay & shale breaks

Ojo Alamo	957'
Kirtland	1132'
Fruitland	1708'
Pic.Cliffs	2125'
Lewis	2261'
Huerfanito Bent.	2644'
Chacra	3106'
Mesa Verde	3616'
Menefee	3860'
Point Lookout	4406'
Mancos	4775'
Gallup	5593'
Greenhorn	6342'
Graneros	6418'
Dakota	6469'