

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Williams Production Co., LLC Telephone: 505-634-4219 e-mail address: myke.lane@williams.com		
Address: POB 640, Aztec, NM 87410		
Facility or well name: Rosa 048 API #: 30-039-07974 U/L or Qtr/Qtr O Sec 11 T 31N R 05W		
County: Rio Arriba Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: 80 bbl Type of fluid: Produced Water Construction material: Fiberglass with Plastic Liner Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet ✓ 100 feet or more	(20 points) (10 points) ✓ (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes ✓ No	(20 points) ✓ (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet ✓ 200 ft or more, but less than 1000 feet 1000 feet or more	(20 points) ✓ (10 points) (0 points)
Ranking Score (Total Points)		10

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Replace Fiberglass BGT with SGT steel tank. Composite soil sample collected following removal of tank and liner 8/20/2007.
See attached site diagram and soil sample results.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐ DIV. DIST. 3

Date: **12/2/07**

Printed Name/Title **Michael K. Lane/EH&S Specialist** Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: **Deputy Oil & Gas Inspector,**
Printed Name/Title **District #3**

Signature _____

Date: **JAN 07 2008**



ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Williams Prod.	Project #:	04108-003
Sample ID:	Former BGT	Date Reported:	08-24-07
Laboratory Number:	42825	Date Sampled:	08-20-07
Chain of Custody No:	3274	Date Received:	08-22-07
Sample Matrix:	Soil	Date Extracted:	08-23-07
Preservative:	Cool	Date Analyzed:	08-24-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa 48DK - BGT Closure


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams Prod.	Project #:	04108-003
Sample ID:	Former BGT	Date Reported:	08-24-07
Laboratory Number:	42825	Date Sampled:	08-20-07
Chain of Custody:	3274	Date Received:	08-22-07
Sample Matrix:	Soil	Date Analyzed:	08-24-07
Preservative:	Cool	Date Extracted:	08-23-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.5	0.9
Toluene	11.3	1.0
Ethylbenzene	1.4	1.0
p,m-Xylene	9.5	1.2
o-Xylene	1.9	0.9
Total BTEX	25.6	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa 48DK - BGT Closure


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Williams Prod.	Project #:	04108-003
Sample ID:	Former BGT	Date Reported:	08-24-07
Lab ID#:	42825	Date Sampled:	08-20-07
Sample Matrix:	Soil	Date Received:	08-22-07
Preservative:	Cool	Date Analyzed:	08-24-07
Condition:	Cool and Intact	Chain of Custody:	3274


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

144

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Rosa 48DK - BGT Closure


Analyst


Review

CHAIN OF CUSTODY RECORD



3274

Client: <u>Williams Proo.</u>			Project Name / Location: <u>Rosa 480K - BGT Closure</u>			ANALYSIS / PARAMETERS																	
Client Address:			Sampler Name:																				
Client Phone No.:			Client No.: <u>04108-003</u>																				
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	C1				Sample Cool	Sample Intact	
						HgCl ₂	HNO ₃																
<u>Former BGT</u>	<u>8/2/07</u>	<u>16:45</u>	<u>42825</u>	<u>Soil</u>	<u>1</u>			<u>N</u>	<u>✓</u>	<u>✓</u>	<u>✓</u>						<u>✓</u>				<u>✓</u>	<u>✓</u>	
Relinquished by: (Signature) <u>[Signature]</u>						Date <u>8/22/07</u>		Time <u>1330</u>		Received by: (Signature) <u>[Signature]</u>						Date <u>8/22/07</u>		Time <u>1330</u>					
Relinquished by: (Signature)										Received by: (Signature)													
Relinquished by: (Signature)										Received by: (Signature)													

ENVIROTECH INC.

5796 U.S. Highway 64 • Farmington, New Mexico 87401 • (505) 632-0615

N
ROSA 48



80 BBL F/G Pit
fenced w/ gate

