

Form 3160-5,
September 1994)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No 1004-0135
Expires July 31, 1996

5. Lease Serial No.

NMNM-036253

6. If Indian, Allottee or Tribe Name

RCVD JAN 15 '08

7. If Unit or CA/Agreement, Name and/or N

OIL CONS. DIV.

DIST. 3

8. Well Name and No.

E.W. Mudge #7

9. API Well No.

30-045-25962

10. Field and Pool, or Exploratory Area

Bisti Lower Gallup

11. County or Parish, State

San Juan County, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Elm Ridge Exploration Co., LLC

Bureau of Land Management

3a. Address

P.O. Box 156, Bloomfield, NM 87413

3b. Phone No. (include area code)

505-632-3476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL X 660' FEL

SEC. 16-T25N-R11W (SE/SE, Unit P)

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input checked="" type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

3. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof)

7. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones.

8. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days

9. Following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once

10. Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

11. determined that the site is ready for final inspection.)

Elm Ridge Exploration LLC Co has plugged and abandoned the above well as follows, as of December 26, 2007.

PLUG #1) TIH with 5 1/2" retainer and TBG set at 4787' test TBG to 1000 PSI for 30 plus minutes on 12-24-07, held

SR Pump 19 sks of Type V neat cement below retainer and spot 18 sks on top of retainer. PLUG # 2) TIH TBG

ended to 2047'. Balance plug from 2047' - 1947' test CSG to 500# for 30 minutes plus, on 12-26-07, held ok.

Pumped 17sks of Type V neat cement. PLUG # 3) Balance plug from 1658' to 1558' pumped 17 sks of Type V neat

cement. PLUG # 4) POH to 1281' balance plug from 476' to surface. Pumped 93 sks of Type V neat cement,

NDBOP topped off casing with cement on 12/26/07. Job was witnessed by Oscar Torres with the BLM.

I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sharla O'Kelly

Title

Production Assistant

Signature

Date

December 28, 2007

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

JAN 11 2008

NMOCD

FARMINGTON FIELD OFFICE

CEMENT JOB SUMMARY SHEET

Job Type

PLUG TO ABANDON

				<i>Measure</i>	
Casing	Size	Weight	Grade	d Depth	Total Casing
Surface	8 5/8"	24#		426'	426'
Intermediate					
Production	5 1/2"	15.5#		5,026	5,026
Tubing					4787'
Drill Pipe	2 3/8"	4.6#		4787'	
Open Hole	7 7/8"			4900'	

CEMENT DATA

Spacer	0 Bbls H2O			
Cement 1	TYPE V			37 Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 2	TYPE V			17 Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 3	TYPE V			17 Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 4	TYPE V			64 Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 5	TYPE V			93 Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 6	TYPE V			Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 7	TYPE V			Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 8	TYPE V			Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 9	TYPE V			Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Cement 10	TYPE V			Sacks
Additives	NEAT			
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18
				Water (gal/sk)
Displacement	H2O		8.33 (lb/gal)	

CEMENTING EQUIPMENT

Provider			
Guide Shoe	ea.	Centralizers	ea.
Float Shoe	ea.	Plug Type	ea.
Float Collar	ea.	Packer	ft.
DV Tool	ft.	Retainer	ft.

