District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No 

Fype of action. Registration of a pit or below-grade tank 

Closure of a pit or below-grade tank 

Closure of a pit or below-grade tank 

K

Type of action. Registration of a pit	or below-grade tank [ Closure of a pit or below-	grade tank 🔼
	ne. 505-333-3100 e-mail address	kım_champlın@xtoenergy.com
Address #382 County Road 3100, Aztec, NM 87410		<u> </u>
Facility or well name:	30-039-29658 U/L or Qtr/Qtr	Sec <u>34K</u> T <u>26N</u> R <u>5W</u>
County Rio Arriba Latitude	36.442 Longitude 107	.3491111 NAD 1927 🛛 1983 🗌
Surface Owner Federal  State  Private  Indian		
Pit	Below-grade tank	
Type: Drilling X Production Disposal	Volume bbl Type of fluid	
Workover ☐ Emergency ☐	Construction material	
Lined X Unlined	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type Synthetic  Thickness 12 mil Clay		
Pit Volumebbl		
The volume	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	
high water elevation of ground water )	· ·	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources)	No	(0 points)
· · · · · · · · · · · · · · · · · · ·	Less than 200 feet	(20 mounts)
Distance to surface water (horizontal distance to all wetlands, playas,		(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date (4) Groundwater encountered. No ☑ (5) Attach soil sample results and a diagram of sample locations and excaval	Yes   If yes, show depth below ground surface	al description of remedial action taken including
Additional Comments		
The drilling reserve pit associated with the subject well v	was closed per NMOCD and BLM guidelin	nes and in accordance with XTO's drilling
pit closure plan.		
		NO DE CONTRACTOR
		/ RECEIVED
		IZI TANI ZINIBI
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan  no not seen that the above-described pit or below-grade tank		
Date 01/17/2008  Printed Name/Title Kim Champlin/Environmental Assistant Signature Wim Champlin Would the contents of the pit or tank contaminate ground water or		
Date. 01/17/2008  Printed Name/Title Kim Champlin/Environmental Assistant Signature Num Champlin Company Compa		
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations	not relieve the operator of liability should the conte	. 5
Deputy Oil & Gas inspect	or	
Approval District #3		
Printed Name/Title	Signature JSA Well	Date <b>JAN 2 9 2008</b>

XTO ENERGY INC. LAT. = 36°26'31.2" JICARILLA APACHE No. 14G, 2140 FSL 1710' FWL LONG. = 107°20'56.8" SECTION 34, T26N, R5W, N.M.P.M., RIO ARRIBA COUNTY, N. M. GROUND ELEVATION: 6612', **NAD 27 DATE: MARCH 10, 2005** CONSTRUCTION ZONE 8 F 3.8 (5) A с 🌀 F 9.2 9 INSTALL DRAIN PIPE ON 2.2 2.1 Slopes Reserve Pit FRUITLAND FORMATIONS ONLY 景 ું હ 10' DOEP 8' DEEP BLOW PIT - 7n' 4 LAYDOWN N 52'06' W 35, Φ Wellhead to Back F 0.4 Wellhead to Front C 1.3 REAR C 0.0 120 120 NEW ACCESS AND P/L 2360 FT. Wellhead to side 10 C 8.2 C 8.7 (3) A C C 6,5 2 8' 205' X 240'  $(305' \times 340') = 238 \cdot ACRES$ RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). BLOW PIT: OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT. DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERCROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED AS HOURS PRIOR TO EXCAVATION OR CONSTRUCTION. NOTE: ELEV. A-A C/1 6620 6610 6600 6590 C/L ELEV. B-8 6620 6610 Surveying and Oil Fleid Services P. O. Box 19084 • Formington, Mt 67401 Prone (905) 326-1772 • Fox (505) 336-6019 NEW MEXICO P.L.S. No. 14831 6600 6590 ELEV. C-C C/l 6620 6610 6600 6590

NOTE: CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.