

510-14

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

30-039-21725

Operator: BLACKWOOD & NICHOLS CO. Location: Unit J, Sec. 10, Twp 30N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 101A

Elevation 6260' Completion Date 7-8-93 Total Depth 366' Land Type\* Surface: F Mineral: SF-079001A

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100'

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Fresh, Clear water at 255' no sample taken

Depths gas encountered: \_\_\_\_\_


Type & amount of coke breeze used: Asbury carborized (104 sx)

Depths anodes placed: 210' to 355'

Depths vent pipes placed: 366' to 4' above ground level

Vent pipe perforations: 100' to 366'

Remarks: Groundbed located 216' S 22° W of NEBU 101A



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: Jama K. Allen

Title: Operations Engineer

Date: 10/14/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SN14 WELL# NEB 101A

S 10 T 3014 R 74

[illegible]

DRILLER Jesse Munting


INSPECTOR Joe Matysak

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

WELL# SN-14 NEBU# 101A

S 10 T 30 R 07

[illegible]

WILLER 

INSPECTOR \_\_\_\_\_