

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

55-17

30-039-22029

Operator: BLACKWOOD & NICHOLS CO. Location: Unit P, Sec. 24, Twp 30N, Rng 8W.

Name of Well/Wells or Pipeline Serviced NEBU 6A

Elevation 6560' Completion Date 7-12-93 Total Depth 285' Land Type\* Surface: F Mineral: SF-079060

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100'

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Wet at 170', NO sample taken

Depths gas encountered: N/A


Type & amount of coke breeze used: Asbury 3,500#

Depths anodes placed: 180' to 270'

Depths vent pipes placed: TD to 4' above ground level

Vent pipe perforations: 285' to 105'

Remarks: Groundbed located 289° W of North & 218' from wellhead



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 10/14/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SS17 WELL# NFB 6A

S 29 T 30N R 74

[illegible]

DRILLER JOSE MARTINEZ

INSPECTOR J. Matysch

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# 55-17 WELL# NEBU #6-A

F S 29 T 30 R 1

[illegible]

DRILLER

INSPECTOR



Manly D. McGarland