

30-045-09447

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 18 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SCHUMACHER #3

cps 784w

Elevation 6325' Completion Date 9/5/67 Total Depth 350' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 100'

Depths gas encountered: N/A

Type & amount of coke breeze used: 5400 lbs.

Depths anodes placed: 330', 324', 300', 294', 288', 282', 276', 270', 264', 148', 142'

Depths vent pipes placed: 330' OF 3/4" HOSE

Vent pipe perforations: 330'

Remarks: qb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST.

WELL CASING
 CATHODIC PROTECTION CONSTRUCTION REPORT
 DAILY LOG

Date: 9-5-67

43/4 #54 = 120



Well Name Schumacher No. 3			CPS No. 784W		
Location SW 18-30-10			Work Order No. 184-52211-50-20		
Anode Hole Depth 350	Total Drilling Rig Time 25 Hrs	Type & Size Bit Used 7 7/8-355966 = 350		No. Sacks Mud Used 0	
No. Sacks Lost Circulation Mat'l Used 0	Anode Depth 330	#1 324	#2 300	#3 294	#4 288
Total Lbs. Coke Used 5400	Anode Output (Volts)	#1 6.1	#2 6.0	#3 5.0	#4 6.2
Total Circuit Resistance Volts 11.6	Amps 16.3	Ohms 0.71	No. Ft. Surface Cable Conduit 3294 Anodes 329 Surface = 3623		
Drilling Log (Attach Hereto) ☐		7 276	8 270	9 264	10 148
Remarks:		7 5.8	8 5.5	9 5.2	10 3.8
		11 4.9	12 4.6		

$R^{\circ}/S 600 E = 0.79$
 3/4" Hose to No. 1 Anode - Perforated All
 15 lbs Barafos Circ. Thru Hole

All Construction Completed

Barrels
 (Signature)

GROUND BED LAYOUT SKETCH



DRILLING DEPARTMENT

15

EVENING

NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.
BIT NO.	SIZE	LENG.	BIT NO.	SIZE	LENG.	BIT NO.	SIZE	LENG.
SERIAL NO.	STANDS		SERIAL NO.	STANDS		SERIAL NO.	STANDS	
SERIAL NO.	SINGLES		SERIAL NO.	SINGLES		SERIAL NO.	SINGLES	
TYPE	DOWN ON KELLY		TYPE	DOWN ON KELLY		TYPE	DOWN ON KELLY	
MAKE	TOTAL DEPTH		MAKE	TOTAL DEPTH		MAKE	TOTAL DEPTH	

MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED			
Time	Wt.	V/S		Time	Wt.	V/S		Time	Wt.	V/S		Time	Wt.	V/S	
				9-9-67				10 hrs							
				9-9-67				10 hrs							
				9-5-67				5 hrs							
								35 total							

0	water at 188'
---	---------------

Company Supervisor

Amela