30-045-11454

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

| Operator Meridian Oil  | Location: Unit G Sec. 16 Twp 32 Rng 10   |
|--|--|
|  | vicedBurroughs Com A #2                  |
|  |  |
| Elevation <sub>6431'</sub> Completion Date 6-8-76 Total Depth 192' Land Type S |  |
| Casing Strings, Sizes, Types & Dep   | thsNA                                    |
|  |  |
| If Casing Strings are cemented, show amounts & types used NA                   |  |
| If Cement or Bentonite Plugs have  | peen placed, show depths & amounts used  |
| Depths & thickness of water zones  | with description of water: Fresh, Clear, |
|  | No analysis.                             |
| Depths gas encountered: NA   |  |
| Ground bed depth with type & amount  | of coke breeze used: 192' T.D.           |
| 31 sacks of metallurgical coke breeze  |  |
| Depths anodes placed: 150  | , 135', 125', 115', 105'                 |
| Depths vent pipes placed: TD t   | o 24" above grade                        |
| Vent pipe perforations: From   | 1 TD to surface                          |
| Remarks:   |  |
|  |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.



30-045-11454

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

| Operator Meridian 0il Location: Unit G Sec. 16 Twp 32 Rng 10   |
|--|
| Name of Well/Wells or Pipeline Serviced Burroughs Com A #2   |
| Elevation 6431' Completion Date 6-1-64 Total Depth 160' Land Type S  |
| Casing Strings, Sizes, Types & Depths NA   |
| If Casing Strings are cemented, show amounts & types used NA   |
| If Cement or Bentonite Plugs have been placed, show depths & amounts used                                      |
| Depths & thickness of water zones with description of water: Fresh, Clear, Salty, Sulphur, Etc. No information |
| Depths gas encountered: NA   |
| Ground bed depth with type & amount of coke breeze used: 160' T.D.   |
| 1950 pounds of metallurgical coke breeze   |
| Depths anodes placed: 135', 129', 123', 117', 111  |
| Depths vent pipes placed: From TD to 24" above grade   |
| Vent pipe perforations: From bottom to 100'  |
| Remarks:   |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.