

30-045-21249

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 19 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #244

cps 974w

Elevation 6460 Completion Date 9/16/75 Total Depth 450' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 160'

Depths gas encountered: N/A

Type & amount of coke breeze used: 5000 lbs

Depths anodes placed: 410', 400', 390', 380', 360', 350', 340', 310', 220', 2

Depths vent pipes placed: N/A

Vent pipe perforations: 270'

Remarks: gb. #1

RECEIVED

MAY 31 1991.

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Log

Drilling Log (Attach Hereto). ☐

Completion Date **9-16-75**


Well Name Huerfano # 244		Location SE 19-26N-10W		CPS No. 974 W	
Type & Size Bit Used 6 3/4"				Work Order No. 55527.19-50-2.	
Anode Hole Depth 450	Total Drilling Rig Time	Total Lbs. Coke Used 5,000	Lost Circulation Mat'l Used	No. Sacks Mud Used	
Anode Depth					
# 1 410	# 2 400	# 3 390	# 4 380	# 5 360	# 6 350
# 7 340	# 8 310	# 9 220	# 10 110		
Anode Output (Amps)					
# 1 4.0	# 2 4.0	# 3 4.5	# 4 4.0	# 5 3.2	# 6 3.8
# 7 3.5	# 8 2.8	# 9 4.0	# 10 3.4		
Anode Depth					
# 11	# 12	# 13	# 14	# 15	# 16
# 17	# 18	# 19	# 20		
Anode Output (Amps)					
# 11	# 12	# 13	# 14	# 15	# 16
# 17	# 18	# 19	# 20		
Total Circuit Resistance				No. 8 C.P. Cable Used	
Volts 11.3	Amps 15.0	Ohms 0.75	3670'		No. 2 C.P. Cable Used

Remarks: **Drill with Air. Driller said water at 160'. Logging Anode stopped at 425'. Vent Hose Perforated 270'**

All Construction Completed

Edward R. Parker
(Signature)

GROUND BED LAYOUT SKETCH





Ph. Office 405/584-6000
Mobile 584-6860
Night 420-3248

DATE 9-16-75

Work Order No. 55527.19-56-

Her Highness Unit

CUSTOMER Elkasa Gas Co.		SERVICE ADDRESS Box 190		CITY Farmington N.M.	
TEL. NO. 974 W	REQ. NO.	SERVICEMAN Morgan Drilling	VEHICLE NO. T-4	DATE COMPLETED	

INSTRUCTIONS:

[illegible]

Date started _____, 19____

Date completed _____, 19__

SERVICE PERFORMED:

TOTAL DEPTH 46.25'

RIG TIME

WATER TRUCK

DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the
of my knowledge.

Name _____

Address _____

Well driller's license number _____

Signed _____

Date _____

Customer's Signature

By Mark K. Smith

