

30-039-07715

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 32 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #14

cps 177w

Elevation 6490' Completion Date 4/18/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 95', 89', 83', 77', 68'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qgb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

WELL NAME SAN Juan 30-6 Unit # 1A DATE 18 April 1963

LOCATION SKI² Sec. 32 T30 N R 6 W CPS NO. 177 W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120'

TOTAL DRILLING RIG TIME 6 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock

NUMBER SACKS MUD USED 1 W.M. # 3490

NUMBER SACKS LOST CIRCULATION MAT'L USED 1

ANODE DEPTHS #1 95, #2 89, #3 83, #4 77 #5 68

TOTAL LBS. COKE USED 935 lbs.

ANODE OUTPUTS 12.2 VOLTS, #1 3.2, #2 4.0, #3 4.0, #4 4.2 #5 4.5 11 Sacks

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 0.7 OHMS 1.35

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 545

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static 9/5 70 R 600 EAST

Good All Rectifier 28V 12A

Ser # 62C6263

TAG NO. 177 W

ALL CONSTRUCTION COMPLETED

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1037

DAILY DRILLING REPORT

San Juan 30-6 Unit #14

LEASE *Sec 32 Twp 40N R10E* NO. *14* CONTRACTOR *W. E. Wilson* RIG NO. *D-6* REPORT NO. *17418* DATE *April 18 1965*

MORNING DAYLIGHT EVENING

Driller				Total Man In Crew				Driller				Total Man In Crew			
FROM	TO	FORMATION	W. BIT	W. BIT	FORMATION	W. BIT	FORMATION	FROM	TO	FORMATION	W. BIT	FORMATION	W. BIT	FORMATION	W. BIT
<i>5 1/2" 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100'</i>															
NO. DC				SIZE				LENG.				NO. DC			
STANDS				SINGLES				DOWN ON KEEL				TOTAL DEPTH			
MUD. ADDITIVES USED AND RECEIVED				MUD. RECORD				MUD. ADDITIVES USED AND RECEIVED				MUD. RECORD			
TIME				TIME				TIME				TIME			
TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN			

REMARKS: *100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100' 100'*

SIGNED: *W. E. Wilson* Company Supervisor