

RECEIVED

Form 3160-5  
(April 2004)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Farmington Field Office

FEB 19 2008

FORM APPROVED  
OMB No 1004-0137  
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1 Type of Well  
☐ Oil Well ☒ Gas Well ☐ Other

2 Name of Operator  
Coleman Oil & Gas, Inc.

3a Address  
P.O. Drawer 3337

3b. Phone No. (include area code)  
505-327-0356

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)  
790' FNL, 1850' FEL B, Section 15, T26N, R12W Latitude 36° 29' 35", Longitude 108° 05' 46"

5 Lease Serial No  
NM 33015

6. If Indian, Allottee or Tribe Name  
Navajo Surface

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No  
Maria #1

9. API Well No  
30-045-29889

10. Field and Pool, or Exploratory Area  
Basin Fruitland Coal

11. County or Parish, State  
San Juan, New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See attached procedure to plug and abandon the Maria #1.

RCVD FEB 25 '08  
OIL CONS. DIV.  
DIST. 3

14 I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

MICHAEL T. HANSON

Title OPERATIONS ENGINEER

Signature

Date

2/14/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Original Signed: Stephen Mason

Approved by

Title

Date

FEB 21 2008

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

NMOCD

# Coleman Oil & Gas, Inc.

## **Plug and Abandon** **Basin Fruitland Coal Formation**

Thursday, February 14, 2008

<b>Well:</b>	<b>Maria #1</b>	<b>Field:</b>	Basin Fruitland Coal
<b>Location:</b>	790' FNL & 1850' FEL (NWNE) Sec 15, T26N, R12W, NMPM San Juan County, New Mexico	<b>Elevation:</b>	6133 RKB 6128' GL
<b>By:</b>	Michael T. Hanson	<b>Lease:</b>	NM 33015

---

**Procedure:** (Note: This procedure will be adjusted on site based upon actual conditions)

### ***Plug and Abandon***

1. MIRU and POOH with rods & tubing. Tag up with tubing prior to pulling.
2. Rig up cementers and bullhead cement into Fruitland Coal perforations. Fill casing with cement. Cement type five with additives.
3. Cut off wellhead below braiden head and install four inch dry hole marker as per regulations.

COLEMAN OIL GAS, INC.  
MARIA #1

SURFACE CASING  
7" 23# J-55 LT&C CAS  
CEMENTED WITH 65 SXS  
CLASS B W/ 2% CAL CL 1/4 #/SX

PRODUCTION CASING  
4-1/2" 10.50# J-55 LT&C  
CEMENTED WITH 120 SXS LITE  
TAIL WITH 50 SACKS REG.

TUBING STRING  
40 JTS 2-3/8 TBG  
SEATING NIPPLE  
4' PERF SUB  
1 JT 2-3/8 M A

CEMENT CIRCULATED TO SURFACE  
ON SUFACE & PRODUCTION CASING

PERFORATIONS @

1226'-1228'

1240'-1241'

1254'-1256'

1327'-1342'

PBTD @ 1434' FT. KB.  
PIPE LANDED @ 1479.25' FT. KB.  
T.D. @ 1480' FT. KB.