

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS IN
NORTHWEST NEW MEXICO

OPERATOR: Williams Production Company LOCATION: L 9 32 11 LEASE NUMBER: NM-03189

NAME OF WELL/WELLS OR PIPELINE SERVICED: COX CANYON UNIT #003 MV-
DUALWELL COX CYN #26,200

30-045-11495
26-30-045-22536
200-30-045-27878

ELEVATION: 6546' GR COMPLETION DATE: 11/10/75 TOTAL DEPTH: 283 ft. LAND TYPE: FED

CASING: 7-5/8" 26.4# K-55 Set @ N/A ft. Casing is not cemented.

CEMENT PLUG--Top: N/A' Bottom: N/A' Used 0 sx. Class "B" (1.18 cu.ft./sk).

WATER DEPTH: 100' Water zone thickness not available. WATER DESCRIPTION: Fresh


DEPTH OF GAS: N/A'

COKE: 5346 lbs. of Metallurgical coke breeze used.

NUMBER & TYPE OF ANODES: 10CD TOP ANODE @ 135 ft. BOTTOM ANODE @ 270 ft.

VENT PIPE: 1" PVC Set @ 283 ft. Vent pipe perforated from 115 ft. to 283 ft.

REMARKS: _____



RECEIVED
DEC 11 1991
OIL CON. DIV.
DIST. 3



Cox Paynow H 3
SHEET NO. _____

DATE: _____

BY: _____

TEST LOCATION		100'	200'	300'	
	100	1+00	4.7	5.0	5.3
		05	4.7	5.6	5.3
0+00			4.4	5.3	6.9
5			4.3	3.6	-6
10			4.8	4.6	
15			4.8	5.0	
20			4.2	4.4	
25			4.4	3.4	-5
30			4.0	4.3	
35	145	10-	3.9	4.8	
40			4.0	4.3	-4
45			4.2	4.7	
50			3.5	4.6	
55	165	1	3.1	4.2	3
60			3.2	3.8	
65	175	8	3.8	4.1	2
70			4.6	4.5	
75			4.4	4.1	
80			4.4	3.2	1
85	195	2	4.4	3.4	
90					
95					

NOTES: _____
