

Operator Union Oil Company of California Location: Unit Sec. 17 Twp 27N Rng 6W
Name of Well/Wells or Pipeline Serviced Rincon unit 79 MV and Rincon Unit 161 DK

Casing, Sizes, Types & Depths NA

If Casing is cemented, show amounts & types used NA MAY 08 1990

If Cement or Bentonite Plugs have been placed, show depths & amounts used

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 85' deep

Depths gas encountered: _____

Type & amount of coke breeze used: Mettalurgical Coke breeze - 8875 lbs

Depths anodes placed: 430'

Depths vent pipes placed: 454'

Vent pipe perforations: 75'

Remarks: El Paso Natural Gas was operator at the time this ground bed was installed

First ground bed installed.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date 3-29-66

Well Name <u>Rincon No. 79 & 161</u>				CPS No. <u>685W</u>			
Location <u>NE 17-27-6</u>				Work Order No. <u>184.52951-50-20</u>			
Anode Hole Depth <u>500</u>	Total Drilling Rig Time <u>47 Hrs.</u>	Type & Size Bit Used <u>AY109 = 140</u>		No. Sacks Mud Used <u>4</u>			
No. Sacks Lost Circulation Mat'l Used <u>2</u>	Anode Depth <u>#1 460</u>	<u>#2 454</u>	<u>#3 448</u>	<u>#4 442</u>	<u>#5 436</u>	<u>#6 430</u>	
Total Lbs. Coke Used <u>8875</u>	<u>13.4V</u>	Anode Output (Volts) <u>#1 4.5</u>	<u>#2 5.2</u>	<u>#3 5.6</u>	<u>#4 5.4</u>	<u>#5 5.0</u>	<u>#6 4.7</u>
Total Circuit Resistance Volts <u>12.4</u>	Amps <u>10.2</u>	Ohms <u>1.21</u>	No. Ft. Surface Cable Conduit <u>4100' ON Anodes</u>				
		<u>7 4.19</u>	<u>8 4.13</u>	<u>9 4.07</u>			
		<u>7 4.5</u>	<u>8 3.2</u>	<u>9 3.7</u>			

Drilling Log (Attach Hereto). ☐

Remarks: Static 600 E #161 = .82 #79 = .74

3/4" Plastic Hose to #2 Anode. Perforated 75'

15' Chemical to G.B.



Good All Rectifier 30-20 CAWISC-NGZ. 3 NEG. Ser. 65C6671

630'
4100'
4730' - TOTAL #8 WIRE

All Construction Completed

Samuels
(Signature)

GROUND BED LAYOUT SKETCH



DAILY DRILLING REPORT

LEASE				WELL NO. 685W				CONTRACTOR				RIG NO. D-6P				REPORT NO.				DATE 12-29-78			
MORNING				DAYLIGHT				EVENING				1978											
Total Men In Crew				Total Men In Crew				Total Men In Crew				Total Men In Crew											
Driller	FROM	TO	FORMATION	WT-BIT	R.P.M.	Driller	FROM	TO	FORMATION	WT-BIT	R.P.M.	Driller	FROM	TO	FORMATION	WT-BIT	R.P.M.						
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone				12-23-78	12-23-78	Handstone								
	12-23-78	12-23-78	Handstone																				