

56 - 30-039-07736

483 - 30-039-24473

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #56, #483

cps 236w

Elevation 6495' Completion Date 5/2/63 Total Depth 100' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 765 lbs.

Depths anodes placed: 85', 75', 60', 50', 40'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

DATE 5-2-63

WELL NAME ~~Borax Lake~~ 30-6 #56 CPS NO. 236 W

LOCATION 34 - 30N - 6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 100'

TOTAL DRILLING RIG TIME 5 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED \_\_\_\_\_

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 85', #2 75', #3 60, #4 50 540

TOTAL LBS. COKE USED 765 lbs

ANODE OUTPUTS 12 VOLTS, #1 3.8, #2 3.8, #3 3.7, #4 3.9 53.8

TOTAL CIRCUIT RESISTANCE: VOLTS 11.2 AMPERES 10.3 OHMS 1.08

NUMBER FEET SURFACE CABLE CONDUIT 405'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static  $\eta_s = .68 R$  600' E


Installed Feed-All Rect 29V 12A

Serial # 6206319

ALL CONSTRUCTION COMPLETED

B. Paulk  
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY  
ALL REPORTS

LEASE Barron Kidd WELL NO. 1-A CONTRACTOR LE. Wilson RIG NO. D-2 REPORT NO. DATE 5-1 1969

MORNING					DAYLIGHT					EVENING					
Driller		Total Men In Crew			Driller		Total Men In Crew			Driller		Total Men In Crew			
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	
0	33	SCASS.													
33	95	Shale													
95	100	SS													
BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC	
SERIAL NO.		STANDS		SINGLES		SERIAL NO.		STANDS		SINGLES		SERIAL NO.		STANDS	
TYPE		DOWN ON KELLY		TYPE		DOWN ON KELLY		TYPE		DOWN ON KELLY		TYPE		DOWN ON KELLY	
MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH	
MUD RECORD		MUD, ADDITIVES USED AND RECEIVED			MUD RECORD		MUD, ADDITIVES USED AND RECEIVED			MUD RECORD		MUD, ADDITIVES USED AND RECEIVED			
Time	Wt.	Vis.			Time	Wt.	Vis.			Time	Wt.	Vis.			
FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			
		Moving & Setup Time 1/2 hr.					Left Bloom Field 6:00 AM					Rig Time 5:00 AM			
		Left rig AT 5:00 P.M.					Arrived AT Rig 7:30 AM					CRP			
							Finished Hole 9:30 AM.								
REMARKS -					REMARKS -					REMARKS -					
5-1-63 Drilled To 40'					2 1/2 hrs.										
5-2-63 Drilled From 40' To 100					100 ft Water 2 1/2 hrs										

SIGNED: Toolpusher

\_\_\_\_ Company Supervisor