

474 - 30-039-24464

4912 - 30-039-20330

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 27 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #474. #49R
cps 215w

Elevation 6484' Completion Date 4/16/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1020 lbs.

Depths anodes placed: 106', 100', 75', 50', 44'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-16-63

WELL NAME Barron Kidd #2 CPS NO. 215W

LOCATION 27-30N 6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120'

TOTAL DRILLING RIG TIME 4 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 106', #2 100', #3 75', #4 50' 5 1/2'

TOTAL LBS. COKE USED 1020 165

ANODE OUTPUTS 12 VOLTS, #1 3.8, #2 4.4, #3 4.6, #4 3.9 #5 4.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.2 AMPERES 10.2 OHMS 1.1

NUMBER FEET SURFACE CABLE CONDUIT 380'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s = .70R 600 SW


Installed Good - All 28V 12A Rect

Serial # 6206323

ALL CONSTRUCTION COMPLETED

E. Parkh
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

[illegible]

Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.					
0	40	SHALE	200		100	100	SHALE	200																					
40	60	SHALE	200																										
60	80	SHALE	200																										
80	100	SHALE	200																										
REMARKS -																													
1000 WATER																													

Company Superviso

18