

30-039-07795

SS-8

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit J, Sec. 19, Twp 30N, Rng 7W.

Name of Well/Wells or Pipeline Serviced NEBU 35

Elevation 6280' Completion Date 7-15-93 Total Depth 285' Land Type\* Surface: F Mineral: SF-079060

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7 7/8" OPEN HOLE

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Fresh, 130 and 180 small amount.

No water sample

Depths gas encountered: N/A

Type & amount of coke breeze used: Asbury Flo-Coke 3,400# 68 sks

Depths anodes placed: 265' to 135'

Depths vent pipes placed: TD to 4' above ground level

Vent pipe perforations: 285' to 105'

Remarks: Groundbed 90° East of North & 88' from well

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer Date: 8/11/93

REC  
AUG 26 1993  
OILCON. DIV.  
DIST 13



CP# 55-8 WELL# N.F.B.U. #35

J S 19 T 30 R 7

DRILLER                     

INSPECTOR MDM.