DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit P, Sec. 20, Twp 30N, Rng 7W.
Name of Well/Wells or Pipeline Serviced NEBU 19A
Elevation 6790' Completion Date 7-11-93 Total Depth 325' Land Type* Surface: F Mineral: SF-079060
Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C 100', 7 7/8" OREN HOLE
If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II
If Cement or Bentonite Plugs have been placed, show depths & amounts usedN/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. Small amount of water 104' and 180' not enough for water sample.
Depths gas encountered: N/A
Type & amount of coke breeze used: Asbury - 4,000#
Depths anodes placed: 315' to 186'
Depths anotes placed: 313 to 160 Depths vent pipes placed: 325' to 4' above ground level Dist. 3
Vent pipe perforations: 325' to 125'
Remarks: Groundbed located 156' & W of North 239° of wellhead
If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.
*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

Title: Operations Engineer Date: 8/1/93

P#55-19 WELL# NEBU # 19A s <u>20 t 30 r 07</u> **DEPTH STRATA** NOTES DEPTH **STRATA** NOTES Brown Shalle 10 2 e 30 40 30 60 sand stone 100

RILLER Jesse manting

INSPECTOR Jesse Cans

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SN-19 WELL# N.E.B. U. #19-17 UNIT LETTER P S 20T 30 R 7 **DEPTH STRATA** DEPTH **STRATA** NOTES NOTES 0-100 100-140 140-150 (Very Damp (0180') 150-180 180-325

ORILLER	
---------	--

INSPECTOR May D. M. Farland