

30-045-09746

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 7 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced PIERCE #3

cps 45w

Elevation 6364' Completion Date 10/1/75 Total Depth 360' Land Type* N/A

Casing, Sizes, Types & Depths 20' OF 8" PLASTIC

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. WET AT 200'. WATER NEXT A.M.

Depths gas encountered: N/A

Type & amount of coke breeze used: 54 lbs.

Depths anodes placed: 320', 310', 300', 235', 220'

Depths vent pipes placed: N/A

Vent pipe perforations: 200'

Remarks: qb #2 ANODES 1, 2, 3 DID NOT RESPOND TO COKE . BELEIVE HOLE CAVED OR DEEP

BRIDGE. UNABLE TO SEE CASING WHEN RIG MOVED OFF.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit A Sec. 7 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced PIERCE #1, PIERCE #250

cps 45w

Elevation 6364 Completion Date 7/23/90 Total Depth 500' Land Type* N/A

Casing, Sizes, Types & Depths 20' OF 8" PVC SET

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 200' SAMPLE TAKEN

Depths gas encountered: N/A

Type & amount of coke breeze used: 3800 lbs ASHBURY PETROLEUM COKE

Depths anodes placed: 450', 443', 436', 429', 422', 415', 400', 390', 380', 331'

Depths vent pipes placed: 500' 1" VENT PIPE

Vent pipe perforations: 300'

Remarks: qb #3

RECEIVED

MAY 31 1991

OIL CON. DIV

DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 7 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced PIERCE #3

cps 45w

Elevation 6364' Completion Date 11/14/61 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1485 lbs.

Depths anodes placed: 183', 177', 142', 101', 95'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.