

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit D, Sec. 1, Twp 30N, Rng 8W.

Name of Well/Wells or Pipeline Served NEBU 104A

Elevation 6420' Completion Date 7-24-93 Total Depth 362' Land Type* Surface: F Mineral: SF-078581A

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7 7/8" OPEN HOLE.

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water sample.

RECEIVED
AUG 26 1993
OIL CON. DIV.
DIST. 3

Depths gas encountered: N/A

Type & amount of coke breeze used: 100 sx Asbury recarburized flo-coke.

Depths anodes placed: 180' to 320'

Depths vent pipes placed: 390' to 4' above ground level

Vent pipe perforations: 390' to 110'

Remarks: Groundbed located 145' (516°) of NEBU 104A.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 8/11/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# P-13 WELL# NEB-104A

S 1 T 30N R 24

[illegible]

RILLER gene mutation

INSPECTOR J. P. W. [Signature]

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# P-13 WELL# NEBU # 104A

S 1 T 30 R 0

[illegible]

DRILLER

97

INSPECTOR

FOR