#2 30-045-20480

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'	Operator MERIDIAN OIL	Location: Unit SW Sec. 6 Twp 30 Rng 9
Elevation 6510 Completion Date 12/6/73 Total Depth 500 Land Type* N/A  Casing, Sizes, Types & Depths N/A  If Casing is cemented, show amounts & types used N/A  If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A  Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. WET 65' & 170'. BIG WATER 340'.  Depths gas encountered: N/A  Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: 9b #2	Name of Well/Wells or Pipeline Se	rviced QUIGLEY #1, QUIGLEY #2
Casing, Sizes, Types & Depths N/A  If Casing is cemented, show amounts & types used N/A  If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A  Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. WET 65' & 170'. BIG WATER 340'.  Depths gas encountered: N/A  Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2		cps 44w
If Casing is cemented, show amounts & types usedN/A	Elevation 6510'Completion Date 12/6	5/73 Total Depth 500' Land Type* N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A  Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. WET 65' & 170'. BIG WATER 340'.  Depths gas encountered: N/A  Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991	Casing, Sizes, Types & Depths	N/A
Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc. WET 65' & 170'. BIG WATER 340'.  Depths gas encountered: N/A  Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY3 1 1991	If Casing is cemented, show amoun	ts & types used N/A
Fresh, Clear, Salty, Sulphur, Etc. WET 65' & 170'. BIG WATER 340'.  Depths gas encountered: N/A  Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY3 1 1991		been placed, show depths & amounts used
Type & amount of coke breeze used: 7500 lbs.  Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991		· · · · · · · · · · · · · · · · · · ·
Depths anodes placed: 468', 440', 430', 405', 390', 380', 370', 350', 340', 320', 31  Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991	Depths gas encountered: N/A	
Depths vent pipes placed: N/A  Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991	Type & amount of coke breeze used	: 7500 lbs.
Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991	Depths anodes placed: 468', 440', 4	30', 405', 390', 380', 370', 350', 340', 320', 31
Vent pipe perforations: 400'  Remarks: gb #2  MAY31 1991	Depths vent pipes placed: N/A	
Nemalks. db #2	Vent pipe perforations: 400'	
OIL CON. DIV	Remarks: gb #2	
DIST. 3		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 6 Twp 30 Rng 9
Name of Well/Wells or Pipeline Serviced QUIGLEY #1
cps 44w
Elevation 6510' Completion Date 11/13/61 Total Depth 200' Land Type* N/A
Casing, Sizes, Types & DepthsN/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible
Fresh, Clear, Salty, Sulphur, Etc. N/A
Depths gas encountered: N/A
Type & amount of coke breeze used: 1350 lbs. MAY31 1991
Depths anodes placed: 173', 167', 161', 130', 124'  Dist. 3
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.