1	#1 30-045-07494
r	#7 30-045-21154
	DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO 3 copies to OCD Aztec Office)
OperatorMERIDIAN_OIL	Location: Unit <sub>NW</sub> Sec. <u>18</u> Twp_28 Rng_8
Name of Well/Wells or Pip	peline Serviced SHARP #1, #7
·	cps 677w
Elevation <u>6772'</u> Completion	Date <u>12/2/82</u> Total Depth <u>400'</u> Land Type* <u>N/A</u>
Casing, Sizes, Types & De	pths N/A
	·
If Casing is cemented, sh	low amounts & types used <u>N/A</u>
If Cement or Bentonite Pl	ugs have been placed, show depths & amounts used
Depths & thickness of wat Fresh, Clear, Salty, Sulp	er zones with description of water when possible: hur, Etc. <u>DAMP AT 40' DECE WEI</u> MAY 31 1991.
Depths gas encountered:	N/A <u>SHESSIN</u>
Type & amount of coke bre	eze used: 3500 lbs. DIST. 3 .
Depths anodes placed: 360	<u>', 350', 310', 300', 290', 280', 270', 260', 250', 225'</u>
Depths vent pipes placed:	375' OF 1" VENT PIPE
Vent pipe perforations:	360'
Remarks: <u>gb #3</u>	

I

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

ţ

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)
Operator <u>MERIDIAN OIL</u> Location: Unit <u>NW</u> Sec. <u>18</u> Twp <u>28</u> Rng <u>8</u>
Name of Well/Wells or Pipeline Serviced <u>SHARP #1, #7</u>
cps 677w
Elevation <u>6772</u> Completion Date <u>4/27/64</u> Total Depth <u>208</u> Land Type* <u>N/A</u>
Casing, Sizes, Types & DepthsN/A
If Casing is cemented, show amounts & types used <u>N/A</u>
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. <u>N/A</u>
<u> </u>
Depths gas encountered: N/A MAY31/1991
Type & amount of coke breeze used: 3750 lbs. OIL CON.
Depths anodes placed: N/A , DIST. 8
Depths vent pipes placed: N/A
Vent pipe perforations:N/A
Remarks:gb #2 210' of 2 3/8" TUBING RETIRED

. -

., .:

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)
Operator <u>MERIDIAN OIL</u> Location: Unit <u>NW</u> Sec. <u>18</u> Twp <u>28</u> Rng <u>8</u>
Name of Well/Wells or Pipeline Serviced <u>SHARP #1, #7</u>
cps 677w
Elevation 6772 Completion Date 4/27/64 Total Depth 213 Land Type* N/A
Casing, Sizes, Types & Depths <u>N/A</u>
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A DECENT
MAY 2 1 1991
Type & amount of coke breeze used: 4000 lbs. OIL CO
Depths anodes placed:
Depths vent pipes placed:N/A
Vent pipe perforations: N/A
Remarks: <u>gb #1 215' OF 2 3/8" TUBING</u>

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.