

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

185 E - 30 - 039 - 25439 67-

Operator: UNOCAL - Bloomfield, NM Location: Unit J Sec. 22 Twp. 27N Rng. 7W

Name of Well/Wells or Pipeline Serviced: RINCON UNIT 185E DK/MV, RINCON UNIT 67 PC

Elevation: 6643 GR Completion Date: 10/17/95 Total Depth: 300' Land Type\* F

Casing, Sizes, Types & Depths: NONE

If Casing is cemented, show amounts & types used: NONE

If Cement or Bentonite Plugs have been placed, show depths & amounts used: NONE

Depths & thickness of water zones with description of water when possible: NONE

Fresh, Clear, Salty, Sulfur, Etc.: NONE

Depths gas encountered: NONE

Type & amount of coke breeze used: 2600 LBS., SWB PETROLEUM COKE

Depths anodes placed: 119' 124' 130' 136' 142' 148' 154' 160' 166' 172'

Depths vent pipes placed: 0' - 280', 1" PVC

Vent pipe perforations: 1/8" PERFORATIONS FROM 100' TO 280'

Remarks: FIRST GROUND BED INSTALLED ON THIS LOCATION.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analysis & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee  
If Federal or Indian, add Lease Number.

RECEIVED  
NOV - 8 1995  
OIL CON. DIV.  
DIST. 3

CPS GROUND BED CONSTRUCTION WORKSHEET

|                                      |                                                    |                      |                     |                       |                         |                      |
|--------------------------------------|----------------------------------------------------|----------------------|---------------------|-----------------------|-------------------------|----------------------|
| CPS#<br>251-00355                    | P/L NAME(s), NUMBER(s)<br><i>Rincon Unit #185E</i> |                      |                     |                       |                         |                      |
| WO #                                 | TOTAL                                              | VOLTS<br><i>14.3</i> | AMPS<br><i>12.1</i> | = OHMS<br><i>1.18</i> | DATE<br><i>10-17-95</i> | NAME<br><i>Don L</i> |
| REMARKS (notes for construction log) |                                                    |                      |                     |                       |                         |                      |

*280' of PVC 1" and 200' was perforated 2,600 lb of coke*

| DEPTH | LOG ANODE | ANODE # | DEPTH | LOG ANODE | ANODE # | DEPTH | LOG ANODE | ANODE # | DEPTH | LOG ANODE | ANODE # | DEPTH | LOG ANODE | ANODE # | NO COKE | FULLY COK' I |
|-------|-----------|---------|-------|-----------|---------|-------|-----------|---------|-------|-----------|---------|-------|-----------|---------|---------|--------------|
| 100   | .5        |         | 295   |           |         | 490   |           |         | 685   |           |         |       |           |         |         |              |
| 105   | .4        |         | 300   |           |         | 495   |           |         | 690   |           |         |       |           |         |         |              |
| 110   | .3        |         | 305   |           |         | 500   |           |         | 695   |           |         |       |           |         |         |              |
| 115   | .3        |         | 310   |           |         | 505   |           |         | 700   |           |         |       |           |         |         |              |
| 120   | .4        |         | 315   |           |         | 510   |           |         | ANODE | DEPTH     |         |       |           |         |         |              |
| 125   | 1.0       |         | 320   |           |         | 515   |           |         | #     |           |         |       |           |         |         |              |
| 130   | 1.1       |         | 325   |           |         | 520   |           |         | 1     | 172       | 1.0     | 2.9   |           |         |         |              |
| 135   | 1.0       |         | 330   |           |         | 525   |           |         | 2     | 166       | 1.2     | 2.9   |           |         |         |              |
| 140   | .9        |         | 335   |           |         | 530   |           |         | 3     | 160       | 1.1     | 3.1   |           |         |         |              |
| 145   | 1.1       |         | 340   |           |         | 535   |           |         | 4     | 154       | 1.2     | 3.2   |           |         |         |              |
| 150   | 1.4       |         | 345   |           |         | 540   |           |         | 5     | 148       | 1.5     | 3.5   |           |         |         |              |
| 155   | 1.2       |         | 350   |           |         | 545   |           |         | 6     | 142       | 1.0     | 3.5   |           |         |         |              |
| 160   | 1.2       |         | 355   |           |         | 550   |           |         | 7     | 136       | 1.2     | 3.4   |           |         |         |              |
| 165   | 1.2       |         | 360   |           |         | 555   |           |         | 8     | 130       | 1.3     | 3.4   |           |         |         |              |
| 170   | 1.0       |         | 365   |           |         | 560   |           |         | 9     | 124       | 1.1     | 2.8   |           |         |         |              |
| 175   | .5        |         | 370   |           |         | 565   |           |         | 10    | 119       | 1.0     | 2.7   |           |         |         |              |
| 180   | .3        |         | 375   |           |         | 570   |           |         | 11    |           |         |       |           |         |         |              |
| 185   | .2        |         | 380   |           |         | 575   |           |         | 12    | 1451      |         |       |           |         |         |              |
| 190   | .2        |         | 385   |           |         | 580   |           |         | 13    | +149      |         |       |           |         |         |              |
| 195   | .2        |         | 390   |           |         | 585   |           |         | 14    | (1600)    |         |       |           |         |         |              |
| 200   | .2        |         | 395   |           |         | 590   |           |         | 15    |           |         |       |           |         |         |              |
| 205   | .2        |         | 400   |           |         | 595   |           |         | 16    |           |         |       |           |         |         |              |
| 210   | .2        |         | 405   |           |         | 600   |           |         | 17    |           |         |       |           |         |         |              |
| 215   | .1        |         | 410   |           |         | 605   |           |         | 18    |           |         |       |           |         |         |              |
| 220   | .3        |         | 415   |           |         | 610   |           |         | 19    |           |         |       |           |         |         |              |
| 225   | .3        |         | 420   |           |         | 615   |           |         | 20    |           |         |       |           |         |         |              |
| 230   | .4        |         | 425   |           |         | 620   |           |         | 21    |           |         |       |           |         |         |              |
| 235   | .2        |         | 430   |           |         | 625   |           |         | 22    |           |         |       |           |         |         |              |
| 240   | .2        |         | 435   |           |         | 630   |           |         | 23    |           |         |       |           |         |         |              |
| 245   | .2        |         | 440   |           |         | 635   |           |         | 24    |           |         |       |           |         |         |              |
| 250   | .1        |         | 445   |           |         | 640   |           |         | 25    |           |         |       |           |         |         |              |
| 255   | .1        |         | 450   |           |         | 645   |           |         | 26    |           |         |       |           |         |         |              |
| 260   | .2        |         | 455   |           |         | 650   |           |         | 27    |           |         |       |           |         |         |              |
| 265   | .1        |         | 460   |           |         | 655   |           |         | 28    |           |         |       |           |         |         |              |
| 270   | .2        |         | 465   |           |         | 660   |           |         | 29    |           |         |       |           |         |         |              |
| 275   | .2        |         | 470   |           |         | 665   |           |         | 30    |           |         |       |           |         |         |              |
| 280   |           |         | 475   |           |         | 670   |           |         |       |           |         |       |           |         |         |              |
| 285   |           |         | 480   |           |         | 675   |           |         |       |           |         |       |           |         |         |              |
| 290   |           |         | 485   |           |         | 680   |           |         |       |           |         |       |           |         |         |              |

P.O. BOX 1359 - PHONE 334-6141  
AZTEC, NEW MEXICO 87410

COMPANY Unical 185 E DAILY DRILLING REPORT Oct. 13 19 75

WELL NAME:

WELL NUMBER:

**SECTION:**

TOWNSHIP:

**RANGE:**

185 - E

WATER AT:

**FEET:**

HOLE MADE:

2/A

300

### DESCRIPTION OF FORMATION

[illegible]

REMARKS:

There was no moisture present

## Driller

### Tool Draguer