

30-045-11026

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 4 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #6

cps 447w

Elevation 5974' Completion Date 9/20/83 Total Depth 380' Land Type\* N/A

Casing, Sizes, Types & Depths 36' OF STEEL CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 50'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

Type & amount of coke breeze used: 5700 lbs.

OIL CON. DIV  
DIST. 2

Depths anodes placed: 345', 335', 280', 265', 255', 245', 235', 225', 215', 205'

Depths vent pipes placed: 375' OF 1" PVC VENT PIPE

Vent pipe perforations: 360'

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Units SW Sec 4 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #6

cps 447w

Elevation 5974' Completion Date 12/14/66 Total Depth 220' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 60'

**RECEIVED**

MAY 31 1991

Depths gas encountered: N/A

**OIL CON. DIV**  
**DIST. 3**

Type & amount of coke breeze used: 3000 lbs.

Depths anodes placed: 256', 250', 244', 238', 232', 226', 220', 214', 208', 202'

Depths vent pipes placed: 256' OF 3/4" HOSE

Vent pipe perforations: 70'

Remarks: qb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 4 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #6

cps 447w

Elevation 5974' Completion Date 7/20/63 Total Depth 155' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 132', 122', 112', 102', 96', 86'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 155' OF SCRAP TUBING. ANODES INSTALLED 7/21/65. BELEIVE PIPE IS

SEPARATED AT 132'-COULD NOT GET ANODE PAST .

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1991

OIL CON. DIV  
DIST. 3