

30-045-11172

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 32 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #5

cps 446w

Elevation 6067' Completion Date 9/27/85 Total Depth 410' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 40' TO 100'

RECEIVED
MAY 31 1991

Depths gas encountered: SMALL AMOUNT WHILE LOADING

OIL CON. DIV
DIST. 3

Type & amount of coke breeze used: N/A

Depths anodes placed: 390', 370', 350', 330', 310', 290', 270', 250', 225', 205'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 32 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #5

cps 446w

Elevation 6067' Completion Date 11/1/71 Total Depth 300' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 30'

Depths gas encountered: N/A

Type & amount of coke breeze used: 5200 lbs.

Depths anodes placed: 260', 230', 220', 210', 118', 110', 100', 85', 75', 66'

Depths vent pipes placed: N/A

Vent pipe perforations: 250'

Remarks: qb #2

RECEIVED

MAY 31 1991

OIL CON. F
DIST

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 32 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #5

cps 446w

Elevation 6067' Completion Date 7/21/63 Total Depth 115' Land Type* N/A

Casing, Sizes, Types & Depths 18" OF 1/2" PIPE

If Casing is cemented, show amounts & types used 6 SACKS READY MIX

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 750 lbs.

Depths anodes placed: 90', 70', 64', 58', 50'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 HOLE MAKING GAS.

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.