

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

ME-2

Operator: BLACKWOOD & NICHOLS CO. Location: Unit D, Sec. 1, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 212

30-045-26328

Elevation 6420' Completion Date 8-2-93 Total Depth 349' Land Type\* Surface: P Mineral: Fee

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Not enough for water sample.

Depths gas encountered: N/A

Type & amount of coke breeze used: 95 sx Asbury Flo-Coke

Depths anodes placed: 245' - 335'

Depths vent pipes placed: 350' to 4' above ground level

Vent pipe perforations: 110' - 350'

Remarks: Ground bed is located 160' S 36° W of NEBU #212.

**RECEIVED**

SEP 1 6 1993

OIL CON. I

DIST. ?

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by:

James K. Albright

Title: Operations Engineer

Date: 8/27/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

WP# NE-2 WELL# NEB 11 212

S 01 T 31N R 74

[illegible]

DRILLER Jose Martinez

INSPECTOR Joe Matyszek

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# ME-2 WELL# NEBU #212

S 1 T 31 R   

[illegible]

LLER

INSPECTOR