DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 9 Twp31 Rng10
Name of Well/Wells or Pipeline Serviced LUCERNE A #2, #7
cps 445w
Elevation 6163' Completion Date 11/17/71 Total Depth 400' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible Fresh, Clear, Salty, Sulphur, Etc. WET AT 150'
Depths gas encountered: N/A
Type & amount of coke breeze used: 7100 lbs.
Depths anodes placed: 360', 351', 342', 333', 324', 315', 306', 297', 288', 279'
Depths vent pipes placed: N/A DECEIVED
vent pipe periorations: 245.
Remarks: gb #2 MAY 31 1991
NI CON
Uriot ′

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Loc	ation: UnitNE Sec. 9 Twp 31 Rng 10
Name of Well/Wells or Pipeline Serviced_	LUCERNE A #2, #7
	cps 445w
Elevation 6163'Completion Date 7/18/63 To	tal Depth 187' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & ty	pes used <u>N/A</u>
If Cement or Bentonite Plugs have been p	-
Depths & thickness of water zones with d Fresh, Clear, Salty, Sulphur, Etc. N/F	
Depths gas encountered: N/A	RECEIVEDI
Type & amount of coke breeze used: N/A	MAY 3 1 1991
Depths anodes placed: 160', 150', 140', 130'	OIL CON. DIV
Depths vent pipes placed: N/A	
Vent pipe perforations: N/A	
Remarks: gb #1 TNSTALLED SCRAP TUBING . ANOD	DES INSTALLED 7/20/65.
	•

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN UIL Locat	ion: Unit B Sec. 9 Twp31 Rng10
Name of Well/Wells or Pipeline Serviced	LUCERNE A #2, #7
	cps 445w
Elevation6163' Completion Date9/13/88 Tota	l Depth440' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & type	s used <u>N/A</u>
If Cement or Bentonite Plugs have been pla	ced, show depths & amounts used
Depths & thickness of water zones with des	cription of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 230'	RECEIVED
Depths gas encountered: N/A	
Type & amount of coke breeze used: N/A	
Depths anodes placed: 415', 405', 395', 385',	375', 365', 355', 340', 265', 255'
Depths vent pipes placed: 440' OF 1" PVC VE	NT PIPE
Vent pipe perforations: 360'	
Remarks: gb #3 HOLE WENT BLIND AT 280'	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.