1711

67 - 30 - 0.39 - 0.1890 420 / 30 - 0.39 - 24178

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. L	ocation: Unit G Sec. 12 Twp 30 Rng 7
Name of Well/Wells or Pipeline Service	ed SAN JUAN 30-6 UNIT #67, #420
	cps 1940w
Elevation 6274 Completion Date 4/29/88	Total Depth 520' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amounts &	types usedN/A
If Cement or Bentonite Plugs have been	placed, show depths & amounts used
N/A	
Depths & thickness of water zones with	description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc.	220' NO SAMPLE
	. 4
Depths gas encountered: N/A	
Type & amount of coke breeze used:	N/A
Depths anodes placed: 500', 490', 480', 47	70',460', 450', 440', 395', 385', 350'
Depths vent pipes placed: 520'	M E IP IC .
Vent pipe perforations: 300'	K C C C
Remarks: gb #:3	MAY 81 1997
	OIL CON.
Type & amount of coke breeze used:  Depths anodes placed: 500', 490', 480', 47  Depths vent pipes placed: 520'  Vent pipe perforations: 300'	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

E

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC Location: Unit NE Sec. 12 Twp 30 Rng 7		
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #67, #420		
cps 1940w		
Elevation 6274' Completion Date 8/26/64 Total Depth 400' Land Type* N/A		
Casing, Sizes, Types & Depths N/A		
If Casing is cemented, show amounts & types used N/A		
If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A		
Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc.  N/A		
Depths gas encountered: N/A N/317531		
Type & amount of coke breeze used: 6900 lbs.  Depths anodes placed: 356', 350', 312', 306', 190', 184', 178'		
Depths vent pipes placed: N/A		
Vent pipe perforations: N/A		
Remarks: gb #2		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location: Unit NE Sec. 12 Twp30 Rng 7	
Name of Well/Wells or Pipeline Servi	ced SAN JUAN 30-6 UNIT #67, #420	
	cps 1940w	
Elevation6274' Completion Date 4/6/63	Total Depth 140' Land Type* N/A	
Casing, Sizes, Types & Depths	N/A	
If Casing is cemented, show amounts & types usedN/A		
If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A		
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A		
Depths gas encountered: N/A		
Type & amount of coke breeze used:	935 1bs.	
Depths anodes placed: 105', 99', 93', 78	necente li	
Depths vent pipes placed: N/A	:443	
Vent pipe perforations: N/A	OIL CON. TOW	
Remarks: gb #1	DIST. 3	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.