

4- 30-045-09826

300-30-045-26946

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 3 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL J #4, #300

cps 2005w

Elevation 6200' Completion Date 5/14/63 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1275 lbs.

Depths anodes placed: 155', 149', 143', 137', 131'


Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



4- 30-045-09826

300- 30-045-26946

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 3 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL J #4, #300

cps 2005w

Elevation 6200' Completion Date 9/2/70 Total Depth 410' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 60'

Depths gas encountered: N/A

Type & amount of coke breeze used: 85 SACKS

Depths anodes placed: 340', 330', 320', 295', 285', 275', 180', 170', 160', 150'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #2 ANODES #3 & #4 ARE SINGLE ALL OTHERS ARE IN PAIRS.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

4- 30-045-09826
300- 30-045-26946

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS.
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit L Sec. 3 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL J #4, #300

cps 2005w

Elevation 6200' Completion Date 9/30/88 Total Depth 500' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 470'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 465', 450', 425', 415', 405', 340', 320', 310', 290', 280'

Depths vent pipes placed: 495'

Vent pipe perforations: 455'

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

