

#4 30-045-10754

#22 30-045-22070

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 44lw

Elevation 6103' Completion Date 11/10/67 Total Depth 260' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 170'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV  
DIST. 3

Type & amount of coke breeze used: 2640 lbs.

Depths anodes placed: 246', 240', 234', 228', 222', 216', 210', 204'

Depths vent pipes placed: 246' OF 3/4" HOSE

Vent pipe perforations: 246'

Remarks: qb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 441w

Elevation 6103' Completion Date 11/8/67 Total Depth 360' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 160'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV  
DIST 2

Type & amount of coke breeze used: 1320 lbs.

Depths anodes placed: 265', 259', 253', 247', 241', 235', 150'

Depths vent pipes placed: 265' OF 3/4" HOSE

Vent pipe perforations: 265'

Remarks: gh #2 HOLE CAVED. COULD NOT GET coke to anodes. #7 ANODE STOPPED AT 150'

WOULD NOT GO UP OR DOWN. ABANDONED HOLE WITH ANODES IN PLACE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit ne Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 441w

Elevation 6103' Completion Date 7/18/63 Total Depth 195' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 175', 165', 155', 145', 135', 125'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 ANODES NOT INSTALLED UNTIL 7/16/65.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1991

OIL CON. DIST