36-639-07712

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 33 Twp 30 Rng 6
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #31
cps 176w
Elevation 6357'Completion Date 8/29/74 Total Depth 250' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. Wet at 34' water at 140'
Depths gas encountered: N/A
Type & amount of coke breeze used: N/A DECE TO E
Depths anodes placed: 180', 170', 160', 150', 140'
Depths vent pipes placed: N/A OIL CON. DIV.
Vent pipe perforations: 150' DIST. 3
Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

30-039-017/2

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MREIDIAN OIL Location: Unit SW Sec. 33 Twp 30 Rng 6
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #31
cps 176w
Elevation 6357' Completion Date 6/21/73 Total Depth 500' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 55'
Depths gas encountered: N/A MAY31 1991
Type & amount of coke breeze used: 7400 lbs. DIST. 2
Depths anodes placed: 460', 405', 325', 275', 235', 225', 190', 180', 170', 160'
Depths vent pipes placed: N/A
Vent pipe perforations: 335'
Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

30-039-07712

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit SW Sec. 33 Twp 30 Rng 6
Name of Well/Wells or Pipeline Servi	cedSAN_JUAN_30-6_UNIT_#31
	cps 176w
Elevation 6357 Completion Date 4/17/63	Total Depth_ 160' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts	& types used N/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
Depths & thickness of water zones wi	th description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc.	N/A
	WEGELAFIN
Depths gas encountered: N/A	MAY 3 1 1991
Type & amount of coke breeze used:	1190 lbs. OIL CON. D"
Depths anodes placed: 135', 129', 123'	
Depths vent pipes placed: N/A	
Vent pipe perforations: N/A	
Remarks: gb #1	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.