-

2-30-045-07016 3-30-045-20827 1A-30-045-26484

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit D Sec.	32 Twp 28 Rng 8
Name of Well/Wells or Pipeline Serviced PHILLIPS #2, #3, #1	<u> </u>
	cps 646w
Elevation 6739' Completion Date 11/11/87 Total Depth 540' La	nd Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & types used N/A	
If Cement or Bentonite Plugs have been placed, show depths N/A	& amounts used
Depths & thickness of water zones with description of wate	
Fresh, Clear, Salty, Sulphur, Etc. 160' TO 180' NOT ENOUGH	FOR SAMPLE
Depths gas encountered: N/A	
Type & amount of coke breeze used: N/A	···
Depths anodes placed: 380', 372', 364', 356', 348', 340', 272', 2	— • • • • •
Depths vent pipes placed: 535' OF 1" PVC VENT PIPE	ECEIVED
Vent pipe perforations: 460'	MAY3 1 1991
Remarks: gb #3	IL CON. DIV
	DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

2-30-045-07016 3-30-045-20827 1A-30-045-26484

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit D Sec.32 Twp 28 Rng 8		
Name of Well/Wells or Pipeline Serviced PHILLIPS #2, #3, #1A		
cps 646w		
Elevation 6739 Completion Date 11/11/87 Total Depth 540 Land Type* N/A		
Casing, Sizes, Types & Depths N/A		
If Casing is cemented, show amounts & types used N/A		
If Cement or Bentonite Plugs have been placed, show depths & amounts used		
N/A		
Depths & thickness of water zones with description of water when possible:		
Fresh, Clear, Salty, Sulphur, Etc. 160' TO 180' NOT ENOUGH FOR SAMPLE		
Depths gas encountered: N/A		
Type & amount of coke breeze used: N/A		
Depths anodes placed: 380', 372', 364', 356', 348', 340', 272', 264', 200', 190'		
Depths vent pipes placed: 535' OF 1" PVC VENT PIPE DEFINED		
Vent pipe perforations: 460'		
MAY 3 1/1991/ Remarks: gb #3		
Oil CON. DIV.) DIST. 3		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

2-30-045-07016 3-30-045-20827 1A-30-045-26484

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit D Sec.32 Twp 28 Rng 8
Name of Well/Wells or Pipeline Serv	riced PHILLIPS #2, #3, #1A
	cps 646w
Elevation 6739' Completion Date 11/11/8	37 Total Depth 540' Land Type* N/A
Casing, Sizes, Types & Depths N/	4
If Casing is cemented, show amounts	& types used N/A
If Cement or Bentonite Plugs have b	een placed, show depths & amounts used
Depths & thickness of water zones w	ith description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	160' TO 180' NOT ENOUGH FOR SAMPLE
Depths gas encountered: N/A	
Type & amount of coke breeze used:_	N/A
Depths anodes placed: 380', 372', 364	', 356', 348', 340', 272', 264', 200', 190'
Depths vent pipes placed: 535' OF	1" PVC VENT PIPE DECEIVEM
Vent pipe perforations: 460'	N
Remarks: gb #3	MAY 3 1 1991
	OIL CON. DIV
	DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.