

2- 30-045-07424

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

3- 30-045-20919

Operator MERIDIAN OIL CO. Location: Unit K Sec. 14 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced Hardie D # 2 & D # 3

cps 506w

Elevation 6347 Completion Date 8/23/90 Total Depth 520 Land Type N/A

Casing Strings, Sizes, Types & Depths 20 ft. 8" PVC

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. Wet at 250 no water.

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used:

500 ft. with 4500 lbs of Asbury Petroleum Coke.

Depths anodes placed: 490, 480, 470, 460, 450, 425, 335, 325, 315, 305

Depths vent pipes placed: 500 ft. 1" PVC

Vent pipe perforations:

Remarks: qb #3

RECEIVED

MAY 31 1991

OIL CON. DIV.

10151.3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

2 - 30-045-07424

3 - 30-045-20919

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 14 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced HARDIE D #2, #3

cps 506w

Elevation 6347' Completion Date 4/11/69 Total Depth 600' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. WET AT 400'

Depths gas encountered: N/A

Type & amount of coke breeze used: 8000 lbs.

Depths anodes placed: 569', 542', 536', 530', 524', 518', 512', 506', 439'

Depths vent pipes placed: 542' OF 3/4" HOSE

Vent pipe perforations: 450'

Remarks: gb #2

**RECEIVED**

MAY 31 1991

**OIL CON. DIV.**  
**DIST. 3**

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

2- 30-045-07424  
3- 30-045-20919

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 14 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced HARDIE D #2, #3

cps 506w

Elevation 6347' Completion Date 12/2/63 Total Depth 260' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2640 lbs.

Depths anodes placed: 233', 178', 172', 166', 160', 135', 35'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

**RECEIVED**

MAY 31 1991

**OIL CON. DIV.**  
**DIST. 3**

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.