91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Lo	ocation: Unit A Sec. 16 Twp 29 Rng7
Name of Well/Wells or Pipeline Serviced	SAN JUAN 29-7 UNIT #91, #509
	cps 294w
Elevation 6276 Completion Date 6/8/89 T	Cotal Depth485' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & t	ypes used N/A
If Cement or Bentonite Plugs have been N/A	
Depths & thickness of water zones with Fresh, Clear, Salty, Sulphur, Etc. 20	
Depths gas encountered: N/A	••••
Type & amount of coke breeze used: N/A	
Depths anodes placed: 435', 350', 344', 338	3', 320', 300', 290', 280', 270'
Depths vent pipes placed: 490' OF 1" PVC	C VENT PIPE
Vent pipe perforations: BOTTOM 320'	
Remarks: gb #4	

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 16 Twp 29 Rng 7
Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #91, #509
cps 294w
Elevation 6276 Completion Date 10/29/78 Total Depth 460' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 210' & 360'
DEGENVE M
Depths gas encountered: N/A MAY 37 1991
Type & amount of coke breeze used: 49 SACKS OIL CON. DN'
Depths anodes placed: 425', 415', 330', 320', 310', 300', 290', 280', 270', 260'
Depths vent pipes placed: 450' OF 1" PVC VENT PIPE
Vent pipe perforations: 300'
Remarks: gb #3

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Loc	cation: Unit NE Sec. 16 Twp 29 Rng 7
Name of Well/Wells or Pipeline Serviced_	SAN JUAN 29-7 UNIT #91, #509
	cps 294w
Elevation 6276' Completion Date 10/12/66 To	tal Depth 560' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & ty	pes usedN/A
If Cement or Bentonite Plugs have been p	laced, show depths & amounts used
Depths & thickness of water zones with d	escription of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 22	IN S
Depths gas encountered: N/A	OIL CON. DIV
Type & amount of coke breeze used: 552	6169 A
Depths anodes placed: 334', 328', 322', 316	', 310', 304', 298', 292', 286', 280', 27 ₄
Depths vent pipes placed: 334' OF 3/4" H	OSE
Vent pipe perforations: 100'	
Remarks: gb #2	

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 59-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 16 Twp 29 Rng7
Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #91, #509
cps 294w
Elevation6276' Completion Date2/26/63 Total Depth310' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A DEFT 1991
Depths gas encountered: N/A OII CON. DIV.) Type & amount of coke breeze used: 1955 lbs. DIST. 3
Depths anodes placed: 290', 284', 278', 272', 200', 136', 130'
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: gb #1

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.