41 30-045-10075

#13 30-045- 21269

#201 30-045- 26965

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS.

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location: UnitL Sec. 35 Twp 31 Rng 10
Name of Well/Wells or Pipeline Service	cedATLANTIC C #1, #13, #201
	cps 2082w
Elevation 6390' Completion Date 1/23/89	Total Depth 300' Land Type* N/A
Casing, Sizes, Types & Depths	ar 1 s
If Casing is cemented, show amounts &	types usedN/A
If Cement or Bentonite Plugs have bee	en placed, show depths & amounts used
Depths & thickness of water zones wit Fresh, Clear, Salty, Sulphur, Etc	th description of water when possible: 140' NO SAMPLE
Depths gas encountered: N/A	
Type & amount of coke breeze used:	N/A
Depths anodes placed: 285', 277', 269',	261', 250', 230', 165', 155'
Depths vent pipes placed: N/A	
Vent pipe perforations: N/A	REGET
Remarks: gb #4	MAY 3 1 1991
	OIL CON.
	DIST. 5

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location: Unit L Sec. 35 Twp 31 Rng 10
Name of Well/Wells or Pipeline Service	ced ATLANTIC C #1, #13, #201
	cps 2082w
Elevation 6390' Completion Date 1/23/89	Total Depth 380' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amounts &	& types usedN/A
If Cement or Bentonite Plugs have bee	en placed, show depths & amounts used
Depths & thickness of water zones wit Fresh, Clear, Salty, Sulphur, Etc.	th description of water when possible:
Depths gas encountered: N/A	
Type & amount of coke breeze used:	N/A DECESAR
Depths anodes placed: 180', 170'	MAYS 1 1991
Depths vent pipes placed: N/A	OIL CON. DI
Vent pipe perforations: 140'	\Dist. 3
Remarks: gb #3	·

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Lo	ocation: Unit L Sec. 35 Twp 31 Rng 10
Name of Well/Wells or Pipeline Serviced	ATLANTIC C #1, #13, #201
	cps 2082w
Elevation 6390 Completion Date 5/17/72	otal Depth 320' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts & t	ypes usedN/A
If Cement or Bentonite Plugs have been	placed, show depths & amounts used
N/A	
Depths & thickness of water zones with	
Fresh, Clear, Salty, Sulphur, Etc	140'
Depths gas encountered: N/A	
Type & amount of coke breeze used:	5200 lbs.
Depths anodes placed: 280', 270', 260',	250', 240', 230', 220', 210', 170', 1
Depths vent pipes placed: N/A	TERRITE TO THE PROPERTY OF THE
Vent pipe perforations: 280'	
Remarks: gb #2	MAY 3 1 199;
	OIL CO.
	/ (SPS) 8 >

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS. NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location: Unit L Sec. 35 Twp 31 Rng 10
Name of Well/Wells or Pipeline Servi	ced ATLANTIC C #1, #13, #210
	cps 2082w
Elevation 6390 Completion Date 6/4/63	Total Depth 160' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amounts	& types used N/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
Depths & thickness of water zones wi	th description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	/.
Depths gas encountered: N/A	
Type & amount of coke breeze used:	1300 lbs.
Depths anodes placed: 145', 139', 133	', 73', 67', 61'
Depths vent pipes placed: N/A	MAY 3 1 1991
Vent pipe perforations: N/A	OIL COM. DIV
Remarks: gb #1	DIST. 7

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.