#### 33 - 30-039-07632 507-30-039-24333

### DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: UnitNE Sec.13 Twp 29 Rng7
Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #33, #507
cps 303w
Elevation 6298'Completion Date 9/24/76 Total Depth 464' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A
Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc. WET AT 102' & 280"  MAY 31 1991
Depths gas encountered: N/A OIL CON. DW
Type & amount of coke breeze used: 61 SACKS
Depths anodes placed: 425', 415', 405', 395', 385', 330', 280', 200', 190', 180'
Depths vent pipes placed: N/A
Vent pipe perforations: 360'
Remarks: gb #3 ANODES #9 & #10 DID NOT RESPOND AS MUCH AS THEY SHOULD-BELEIVE
PARTIAL BRIDGE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

### 33 - 30-039-07632 567 - 30-039-24333

# DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: UnitNE Sec.13 Twp 29 Rng7
Name of Well/Wells or Pipeline Servi	ced SAN JUAN 29-7 UNIT #33, #507
	cps 303w
Elevation 6298 Completion Date 7/20/70	Total Depth 450' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts	& types used N/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
Depths & thickness of water zones wi	th description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	WET AT 180'  DEGELVEN
Depths gas encountered: N/A	MAY 3 1 1991/
Type & amount of coke breeze used:	81 SACKS OIL CON. DIV.
Depths anodes placed: 420', 410', 400'	, 390', 380', 370', 360', 350', 285', 275.'
Depths vent pipes placed: N/A	
Vent pipe perforations: N/A	
Remarks: gb #2 ALL ANODES TANDEM	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

507-30-039-07632 507-30-039-24333

# DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: UnitNE Sec.13 Twp 29 Rng7	
Name of Well/Wells or Pipeline Service	ed <u>SAN JUAN 29-7 UNIT #33, #507</u>	
	cps 303w	
Elevation 6298' Completion Date 3/7/63	_Total Depth 140' Land Type* N/A	
Casing, Sizes, Types & Depths N/A		
If Casing is cemented, show amounts &	types usedN/A	
If Cement or Bentonite Plugs have bee	- ·	
Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc. N/A		
Depths gas encountered: N/A		
Type & amount of coke breeze used:	850 lbs.	
Depths anodes placed: 114', 108', 102',		
Depths vent pipes placed: N/A	OIL CON. DIV	
Vent pipe perforations: N/A		
Remarks: gb #1		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.