

1- 30045-09504  
11- 30-045-21045  
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit G Sec. 14 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,

GRAMBLING C #11, GRAMBLING C #11J cps lw

Elevation 6387' Completion Date 8/25/88 Total Depth 440' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 125'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A OIL CON. DIST

Type & amount of coke breeze used: N/A

Depths anodes placed: 395', 385', 365', 345', 270', 260', 250', 145', 135'

Depths vent pipes placed: 445 ft. of 1" pvc vent pipe.

Vent pipe perforations: bottom 340 ft. perforated.

Remarks: qb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

1- 30-045-09504  
11- 30-045-21045  
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 14 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,

GRAMBLING C #11, GRAMBLING C #11J cps 1w

Elevation 6387' Completion Date 6/10/64 Total Depth 350' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 26 SACKS

Depths anodes placed: 274', 268', 262', 256', 250', 244'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #2 ANODES DID NOT RESPOND TO COKE, POSSIBLE CAVE IN, OR DEEP

BRIDGE. PUT WATER DOWN GROUND BED #1.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON. DIV  
DIST. 3

1- 30-045-09504  
11- 30-045-21045  
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 14 Twp 30 Rng 10  
Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,  
GRAMBLING C #11, GRAMBLING C #11J cps lw  
Elevation 6387' Completion Date N/A Total Depth N/A Land Type\* N/A  
Casing, Sizes, Types & Depths N/A  
  
If Casing is cemented, show amounts & types used N/A  
  
If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A  
  
Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A  
  
Depths gas encountered: N/A  
Type & amount of coke breeze used: N/A  
Depths anodes placed: N/A  
Depths vent pipes placed: N/A  
Vent pipe perforations: N/A  
Remarks: gb #1

**RECEIVED**  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.