1-30-045-07494 7-30-045-21154

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL                   | Location: Unit NW Sec. 18 Twp 28 Rng 8 |
|---|--|
| Name of Well/Wells or Pipeline Service  | cedSHARP #1, #7                        |
|   | cps 677w                               |
| Elevation 6772' Completion Date 4/27/64 | Total Depth 213' Land Type* N/A        |
| Casing, Sizes, Types & Depths N/A       |  |
|   |  |
| If Casing is cemented, show amounts &   | types used N/A                         |
| If Cement or Bentonite Plugs have bee   | en placed, show depths & amounts used  |
| Depths & thickness of water zones wit   | th description of water when possible: |
| Fresh, Clear, Salty, Sulphur, Etc       | N/A                                    |
|   |  |
| Depths gas encountered: N/A             | DECEIVEM                               |
| Type & amount of coke breeze used:      | 4000 lbs. MAY 3 1 1991                 |
| Depths anodes placed: 213'              | •••                                    |
| Depths vent pipes placed: N/A           |  |
| Vent pipe perforations: N/A             |  |
| Remarks: gb #1 215' OF 2 3/8" TUBING    | RETIRED                                |
|   |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## 1-30-045-07494 7-30-045-21154

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL Location: Unit NW  | Sec. 18 Twp 28 Rng 8 |
|--|----------------------|
| Name of Well/Wells or Pipeline Serviced SHARP #1, #7   |                      |
|  | cps 677w             |
| Elevation 6772' Completion Date 4/27/64 Total Depth 208'                                     | Land Type*_N/A       |
| Casing, Sizes, Types & Depths N/A  |                      |
| If Casing is cemented, show amounts & types used N/A   |                      |
| If Cement or Bentonite Plugs have been placed, show de                                       | pths & amounts used  |
| Depths & thickness of water zones with description of Fresh, Clear, Salty, Sulphur, Etc. N/A | _                    |
| Depths gas encountered: N/A  | ECENT                |
| Type & amount of coke breeze used: 3750 lbs.   | MAY3 1 1991          |
| Depths anodes placed: N/A  | OIL CON. DIV.        |
| Depths vent pipes placed: N/A  |                      |
| Vent pipe perforations: N/A  |                      |
| Remarks: gb #2 210' of 2 3/8" TUBING RETIRED   |                      |
|  |                      |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

1-30-045-01494 7-30-045-21154

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OII Location: Unit NW Sec. 18 Twp 28 Rng 8  |
|---|
| Name of Well/Wells or Pipeline Serviced SHARP #1, #7  |
| cps 677w  |
| Elevation 6772' Completion Date 12/2/82 Total Depth 400' Land Type* N/A   |
| Casing, Sizes, Types & Depths N/A   |
| If Casing is cemented, show amounts & types used N/A  |
| If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A  |
| Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc. DAMP AT 40'  MAY 31 1991 |
| Depths gas encountered: N/A OIL CON. DIV.  Type & amount of coke breeze used: 3500 lbs.   |
| Depths anodes placed: 360', 350', 310', 300', 290', 280', 270', 260', 250', 225'  Depths vent pipes placed: 375' OF 1" VENT PIPE        |
| ·   |
| Vent pipe perforations: 360'  |
| Remarks: gb #3  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.