

30-045-1239

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 7 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL C #3

cps 14w

Elevation 6039 Completion Date 11/28/90 Total Depth 460' Land Type* N/A

Casing, Sizes, Types & Depths 20' OF 8" PVC CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 180' SAMPLE TAKEN

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.]
DIST. 3

Type & amount of coke breeze used: 3800 lbs.

Depths anodes placed: 420', 410', 400', 390', 380', 370', 360', 350', 340', 330'

Depths vent pipes placed: 450' OF 1" PVC VENT PIPE

Vent pipe perforations: 200'

Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-a65-12139

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 7 Twp 30 Rng 8
Name of Well/Wells or Pipeline Serviced HOWELL C #3
cps 14w
Elevation 6039' Completion Date 2/28/ 69 Total Depth 420' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 180' TO 200'
Depths gas encountered: N/A
Type & amount of coke breeze used: 7400 lbs.
Depths anodes placed: 356', 350', 344', 338', 332', 326', 320', 314'
Depths vent pipes placed: N/A
Vent pipe perforations: 340'
Remarks: qb #2 ABANDONED GB #1. RECOVERED 3 ANODES.

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-045-12139

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 7 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL C #3

cps 14w

Elevation 6039' Completion Date 11/4/61 Total Depth 200' Land Type * N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1560 lbs.

Depths anodes placed: 187', 180', 174', 130', 74', 68'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.