

30-045-20560

**DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO**

Operator MERIDIAN OIL CO. **Location: Unit** K **Sec.** 24 **Twp.** 29 **Rng.** 8

Name of Well/Wells or Pipeline Serviced HARDIE A # 2 R

cps 871w

Elevation 6387 **Completion Date** 8/28/90 **Total Depth** 500 **Land Type** N/A

Casing Strings, Sizes, Types & Depths 20 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

**Depths & thickness of water zones with description of water: Fresh, Clear
Salty, Sulphur, Etc.** Wet at 35 ft, 95ft & 210 ft no sample

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used: _____

7700 lbs of Ashbury petroleum coke

Depths anodes placed: 470, 463, 456, 445, 435, 428, 421, 417, 307, 300

Depths vent pipes placed: 500 ft. 1" vent pipe

Vent pipe perforations: N/A

Remarks: gh #5

RECEIVED

MAY 31 1991

CON. DIV.

PAGE 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-045-20860

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW29 Sec. 29 Twp 8 Rng

Name of Well/Wells or Pipeline Serviced HARDIE A #2R

cps 87lw

Elevation 6387' Completion Date 6/4/70 Total Depth 350' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: N/A

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #4 4 1/2" SCRAP IRON GB.

RECEIVED
MAY 31 1991.
OIL CON. DIV
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-045-20560

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 29 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced HARDIE A #2R

cps 871w

Elevation 6387' Completion Date 12/10/69 Total Depth 600' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 30'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: N/A

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #3

RECEIVED

MAY 31 1991

OIL CON. DIV

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-045-20560

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 23 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced CENTRAL GROUND BED #4

HARDIE #2R cps 871w

Elevation 6387' Completion Date 11/29/62 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2600 lbs.

Depths anodes placed: 188', 182', 176', 170', 164', 158', 85', 79', 73', 25', 29', 10'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 RETIRED.

RECEIVED

MAY 31 1991

**OIL CON. DIV
DIST. 3**

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.